caused by *Colletotrichum acutatum*
on black elderberry, 1246N
on gooseberry fruits, 1249N
on high-bush blueberry, 422N
on sunflower sprouts, 838N
caused by *Colletotrichum boninense*
on coffee trees, 1255N
on pepper, 138N
caused by *Colletotrichum brevisporum* on papaya fruit, 1659N
caused by *Colletotrichum capsici,* on bok choy, 687N
caused by *Colletotrichum gloeosporioides*
on banana, 991N
on common fig fruit, 1119N
on postharvest persimmon fruit, 691N
on *Schefflera actinophylla,* 998N
on smoothlip cymbidium, 997N
on soybean, 841N
caused by *Colletotrichum karstii* on mango, 1248N
caused by *Colletotrichum liriopes* on *Rohdea japonica,* 559N
caused by *Colletotrichum phormii* on New Zealand flax, 1115N
caused by *Colletotrichum sansevieriae* on sansevieria, 1510N
caused by *Colletotrichum truncatum* on chickpea, 1507N
on grape, epidemiology, 222
See also Stem and leaf anthracnose
Antidote vine. *See* Fevillea trilobata
Aphanomyces euteiches, 461
Aphids, transmission of sweet potato potyviruses, 53
Aphis gossypii, 53
Apiognomonia errabunda, 1121N
Aponte, C., 991N
Apple (*Malus* × *domestica*)
brown rot caused by *Monilia polystroma,* 145N
brown rot caused by *Monilinia fructicola,* 689N
'*Candidatus* Phytoplasma mali' causal agent of apple proliferation disease, 1376N
etiology of canker disease in cold-stored seedlings, 259
etiology of moldy core, core browning, and core rot of Fuji apple, 510
evaluation of non-antibiotic strategies for fire blight control, 402
identification of bull's eye rot in Chile, 485
postharvest decay from cold storage caused by *Neofusicoccum ribis,* 999N
sensitivity of *Erwinia amylovora* to streptomycin, oxytetracycline, kasugamycin, and copper, 1484
Sphaeropsis rot caused by *Sphaeropsis pyriputrescens,* 1257N
viruses causing apple top working disease, 1001N
white rot caused by *Botryosphaeria dothidea,* 999N
Apple chlorotic leaf spot virus (ACLSV), 1001N
Apple proliferation disease, 1376N
Apple stem grooving virus (ASGV), 1001N
Apple stem pitting virus (ASPV), 1001N
Apple top working disease, 1001N
Aquilaria sinensis, 690N
Arabiat, S., 952
Arabidopsis thaliana, reaction to *Plasmodiophora brassicae,* 720
Arabis mosaic virus (ArMV), 849N
Arachis hypogaea. See Peanut
Arancibia, R. A., 53
Araujia sericifera, 1387N, cover photo: October
'Arbequina' olive, 668
Arceuthobium abietinum f. sp. *concoloris,* 431N
Arctotis × *hybrida,* 1387N
Arecanut (*Areca catechu*), bacterial leaf spot, 1654N
Arismendi, N., 1113N
Armengol, J., 737, 1331
Armillaria gallica, 1658N
Armillaria root disease, on Douglas-fir, 1658N
Armoracia rusticana, 453
Aroeira, 496
Arp, A., 1109N
Arquero, O., 668
Arteaga, T. T., 1112N
Artichoke yellow ringspot virus (AYRSV), 1388N
Ascochyta leaf spot of quinoa, 844N
Ashfaq, M., 1517N
Ashiglar, S. M., 1658N
Ashraf, M., 379
Asian citrus psyllid (ACP), 283N, 789
Asian copperleaf. *See* Acalypha australis
Asian pear (*Pyrus pyrifolia*), frosty mildew, 147N
Asian soybean rust (ASR), 1378N
Asiatic citrus canker
caused by *Xanthomonas citri* pv. *citri*-A, 989N
caused by *Xanthomonas citri* pv. *citri* in Burkina Faso, 1653N
from lemon and lime fruit originating from Bangladesh, 836N
specificity of PCR primers for the identification of *Xanthomonas citri* pv. *citri,* 373
Asochyta sp., 844N
Aspalathus linearis, 1601
Asparagus (*Asparagus officinalis*), Cercospora blight, 428N
Atasagun, R., 1652N
Atim, M., 123
Atiri, G. I., 290N
Atractylodes macrocephala, 139N
Audenaert, K., 410
Auger, J., 842N, 843N
Aureobasidium pullulans, 402
Auxier, B. E., 559N
Avena agadiriana, 1544
Avena atlantica, 1544
Avena barbata, 1544
Avena damascena, 1544
Avena eriantha, 1544
Avena hirtula, 1544
Avena longiglumis, 1544
Avena magna, 1544
Avena murphyi, 1544
Avena sterilis, 1544
Avena wiestii, 1544
Avilés, M., 1112N
Avirulence genes, powdery mildew resistance in triticale, 410
Avocado (*Persea americana*)
branch dieback caused by *Neofusicoccum australe,* 842N
identification and pathogenicity of fungal pathogens associated with stem-end rot, 1580
nested quantitative real-time PCR assay for detection of *Phytophthora cinnamomi,* 1012
Avocado branch canker
effects of fungicide application on, 897
spore trapping and pathogenicity of Botryosphaeriaceae and Diaporthaceae associated with, 329
AVR-Pita1 gene, 491
Awosusi, O. O., 290N
Aydltnlt, G., 1262N
Ayodeji, O., 290N
Azoxystrobin
effect on avocado branch canker, 897
management of daylily rust, 921
management of powdery mildew on cantaloupe, 196
treatment of brown patch on creeping bentgrass, 1620

Babadoost, M., 453, 1478, 1484
Babu, B., 1664N
Bacillus firmus GB-126, 967
Bacillus pumilus, 1308
Bacillus subtilis, 196
Backman, P. A., 139N, 844N
Backup, P., 1438
Bacterial black spot, on mango, 1244N
Bacterial blight resistance, in brassica leafy greens, 131
Bacterial canker of kiwifruit
identification, virulence, and distribution in New Zealand, 708
multiplex PCR assay for the detection of, 472
Bacterial gall, on *Loropetalum chinense,* 835N
Bacterial leaf spot
caused by *Burkholderia andropogonis* in betel palm, 1654N
caused by *Pseudomonas cichorii*
on *Cichorium intybus,* 837N
on witloof, 1376N
caused by *Pseudomonas syringae* pv. *coriandricola* on coriander, 418N
caused by *Pseudomonas syringae* pv. *syringae* on *Panax notoginseng,* 685N
caused by *Xanthomonas campestris* pv. *begoniae* on Rieger begonia, 282N
caused by *Xanthomonas campestris* pv. *olitorii* on jute, 1109N
caused by *Xanthomonas cucurbitae*
on pumpkin, 1375N
on watermelon, 556N
Bacterial soft rot, on *Tagetes patula,* 282N
Bacterial spot
caused by a novel *Xanthomonas* sp. on rose, 1301
caused by *Xanthomonas arboricaola* pv. *pruni* on Japanese plum, 835N
Bacterial wilt
caused by *Ralstonia solanacearum* on *Ageratum conyzoides,* 418N
caused by *Ralstonia solanacearum* on roselle, 1375N
Bactericera cockerelli, 1244N
Badebo, A., 479
Bag, S., 1517N
Bahramisharif, A., 1605
Bai, Q. R., 1662N
Bai, S., 961
Baiswar, P., 284N
Baker, C. A., 1137
Bakheet, K. A., 562N
Bakonyi, J., 152N, 1091
Balaž, J., 418N
Balatti, P., 992N, 1662N
Balci, Y., 1403
Balestra, G. M., 472
Baloyi, M. A., 1247N
Banana (*Musa* spp.)
Alternaria leaf spot caused by *Alternaria alternata,* 1116N
anthracnose caused by *Colletotrichum gloeosporioides,* 991N
Banana bract mosaic virus infection, 1003N
Banana bunchy top virus infection, 290N
Sigatoka disease complex in Brazil, 1537
Banana bract mosaic virus (BBrMV), 1003N
Banana bunchy top virus (BBTV), 290N
Banana mild mosaic virus (BanMMV), 693N
Banana Xanthomonas wilt (BXW), 123
Bananej, K., 1005N
Bande Castro, M. J., 1252N
Baphicacanthus cusia, 690N
Barbetti, M. J., 1256N

Barbosa, J. C., 289N, 1563
Barbosa, M. A. G., 1248N
Barboza, E. A., 422N
Bark beetles, destructive tree diseases associated with, 856
Barley, spot form net blotch, 143N
Barley leaf rust, 838N
Barley yellow dwarf virus (BYDV), 849N
Barnes, I., 1247N
Barradas, C., 560N
Barreto, R. W., 496, 560N, 1120N, 1382N
Basil (*Ocimum basilicum*)
  black stem caused by *Botryosporium longibrachiatum,* 425N
  downy mildew
    caused by *Peronospora belbahrii,* 1248N
    occurrence and mefenoxam resistance in Israel, 692N
  Impatiens necrotic spot virus infection, 850N
Basnet, B. R., 728
Bassanezi, R. B., 789
Bassimba, D. D. M., 1505N
Bastas, K. K., 1244N, 1652N
Bates, C. A., 688N
Batuman, O., 692N
Baturo-Ciesniewska, A., 142N
Baumgartner, K., 912, 1529
Bayat, H., 1110N
Baysal-Gurel, F., 988N
Beach vitex (*Vitex rotundifolia*), 1512N
Bean common mosaic necrosis virus (BCMNV), 290N
Bean rust, 652
Beattie, G. A. C., 1563
Beck, B. R., 744
Beckerman, J. L., 635
Bedendo, I. P., 419N, 1652N
Beed, F., 123
Beede, R. H., 994N
Beer, S. V., 1524
Beers, E., 851N
Beetle-associated tree diseases, 856
Begonia
  Impatiens necrotic spot virus infection, 291N, 1004N
  root and stem rot caused by *Phytophthora helicoides,* 1385N
  wilt disease caused by *Fusarium foetens,* 144N
Begonia elatior, 144N
Begonia × *hiemalis,* 291N
Begonia × *semperflorens-cultorum,* 1385N
Begonia × *tuberhybrida,* 1004N
'Beinhart 1000' cigar tobacco, 252
Bekaert, B., 410
Belabid, L., 557N, 997N, 1111N, 1506N
Bélair, G., 292N
Belbahri, L., 991N
Belisario, A., 1385N
Bellardi, M. G., 1387N
Bencic, D., 1656N
Ben Guerrero, E., 1662N
Ben-Naim, Y., 692N
Benodanil, 118
Ben Salem, I., 737
Benson, D. M., 74, 86
Bera, A., 1109N
Berberis spp., rust fungi forming aecia on, 1281
Bergamin Filho, A., 289N, 789
Bergstrom, G. C., 1506N
Berlin, A., 1281
Bermudagrass (*Cynodon dactylon*)
  Meloidogyne marylandi infection, 1005N
  pink patch caused by *Limonomyces roseipellis,* 561N
  stubby root caused by *Trichodorus obtusus,* 852N
Bertetti, D., 145N, 288N, 424N, 844N, 1119N, 1384N, 1660N
Bešta-Gajević, R., 150N
Besooain, X., 143N
Best, G. S., 688N
Beta vulgaris. See Sugar beet
Beta vulgaris subsp. *vulgaris. See* Leaf beet
Betel palm, bacterial leaf spot, 1654N
Bextine, B., 1109N, 1245N, 1375N, 1376N, 1654N
Beyer, D. M., 142N
Bharat, N., 418N
Bhendi yellow vein mosaic virus (BYVMV), 291N, cover photo: February
Bian, Y. B., 1507N
Bianchi, M., 329
Bianco, P. A., 1505N
Bibiano, L. B. J., 1537
Bidens bipinnata, 1385N
Bidens pilosa, 1254N
Bienapfl, J. C., 1403
Biggs, A. R., 510
Binucleate *Rhizoctonia*
  dry rot canker of sugar beet, 1508N, cover photo: November
  infecting potatoes and sugar beet in the Pacific Northwest, 1657N
  potato stem canker caused by strain AG-A, 1246N
Biocontrol
  Corynespora cassiicola f. sp. *schinii* as a control agent for weed *Schinus terebinthifolius,* 496
  of reniform nematodes, 967
Bipolaris oryzae, 1654N
Bipolaris papendorfii, 1506N
Bird's-eye rot, 222
Biswas, C., 1109N
Bitter gourd, *Squash vein yellowing virus* infection, 1516N
Bitter rot of pear, 1000N
Bitton, S., 692N
Bixafen, 118
Blackberry (*Rubus* spp.)
  '*Candidatus* Phytoplasma solani' infection, 282N
  co-infection by viruses, cover photo: February
  review of viruses and virus diseases, 168
  Strawberry latent ringspot virus infection, 662
Blackberry yellow vein-associated virus (BYVaV), 1352, cover photo: February
Blackberry yellow vein disease, 1352
Black elderberry. *see* Elderberry
Blackleg, on canola, 842N
Black locust (*Robinia pseudoacacia*), 851N
Black mullein (*Verbascum nigrum*), 1660N
Black rot, on oilseed rape, 418N
Black scurf and stem canker on potato, 840N
Black shank of tobacco, 252
Black spot
  caused by *Alternaria alternata* on fresh date palm fruit, 286N
  caused by *Alternaria japonica* on turnip, 1505N
Black stem, on sweet basil, 425N
Black Swan Theory, 856
Black walnut (*Juglans nigra*), 601
Blair, J. E., 461
Blomquist, C. L., 283N, 1115N, 1377N
Blueberry (*Vaccinium* spp.)
  canker disease caused by *Neofusicoccum parvum* and *N. asutrale,* 1112N
  postharvest control of gray mold, 1069
  stem and leaf anthracnose caused by *Colletotrichum gloeosporioides,* 845N
  stem blight associated with *Colletotrichum acutatum,* 422N
  stem canker caused by *Diaporthe australafricana* and *Diaporthe* spp., 1042
Blueberry reddening disease, 1653N
Blueberry scorch virus (BIScV), 1515N
Blue mold
  phosphite salts to control in citrus, 201
  postharvest mold caused by *Penicillium expansum* on fresh date palm fruit, 846N
Blue panicgrass (*Panicum antidotale*), cover photo: January
Blume, E., 995N
Blumeria graminis f. sp. *tritici,* 1168
Blumeriella jaapii, 891
Bobev, S. G., 282N, 1514N
Bock, C. H., 626, 675, 797
Bockelman, H. E., 882
'Bodoquera' olive, 668
Bois noir (BN), 1505N
Boiteux, L. S., 422N, 692N, 1261N
Bok choy (*Brassica chinensis*), anthracnose caused by *Colletotrichum capsici,* 687N
Bollich, P., 561N
Bolton, M. D., 1508N
Bonasera, J. M., 1524
Bonilla, X., 772
Bonman, J. M., 882
Booth, C., 1375N
Borodynko, N., 1663N
Borrero, C., 1112N
Boscalid (bosc), 118, 393
Boscalid resistance
  in *Alternaria solani,* 952, 1655N
  in *Monilinia fructicola,* 645
Bostock, R. M., 259, 601
Botermans, M., 1110N
Botryosphaeria australis. See Neofusicoccum australe
Botryosphaeria canker of grapevine, 143N
Botryosphaeriaceae
  effect of fungicide application on, 897
  spore trapping and pathogenicity associated with avocado branch canker, 329
Botryosphaeria dothidea
  fruit rot of plum, 556N
  olive twig and branch dieback, 231
  white rot of apple, 999N, 1659N
Botryosphaeria ribis, 999N
Botryosporium longibrachiatum, 425N
Botrytis cinerea
  artificial inoculation on southern highbush blueberry, 213
  blight leaves and shoot dieback on Cornelian-Cherry, cover photo: July
  differential effects of *SdhB* gene mutations on sensitivity to SDHI fungicides, 118
  eradication from forest nursery irrigation water, 780
  fungicide resistance in strawberry, 271, 393, 848N
  on grape berries, effect of preharvest fungicide, potassium sorbate, or chitosan on, 307
  gray mold on zucchini, 1116N
  postharvest control in blueberries, 1069
  sensitivity to cyprodinil and fludioxonil, 81
Botrytis fruit rot of strawberry, fungicide resistance, 271, 393, 848N
Bottlebrush (*Callistemon*), 37
Bottle gourd (*Lagenaria siceraria*)
  multiple virus resistance, 1057
  susceptibility to *Didymella bryoniae,* 1018
Boughalleb, N., 737
Bouncingbet. *See* Saponaria officinalis
Bowen, C. R., 568
Box blight, 559N
Boxwoods (*Buxus* spp.)
  box blight caused by *Cylindrocladium pseudonaviculatum,* 559N
  leaf blight caused by *Calonectria pseudonaviculata,* 1121N
  qualitative qPCR assay to detect

Cylindrocladium buxicola, 1082
root rot and lower stem necrosis caused by *Phytophthora* × *pelgrandis,* 152N
Boyer, C., 373, 836N, 989N, 1653N
Brachiaria
evaluation of genotypes for foliar blight resistance, 772
Rhizoctonia spp. causing foliar blight on, 772
Brachiaria brizantha, 772
Brakta, A., 1001N
Branch blight
caused by *Pestalotiopsis sydowiana* on loquat, 990N
caused by *Phoma glomerata* on tree peony, 1114N
Branch canker, on *Populus* sp. and *Salix* sp., 426N
Branch dieback
associated with *Neofusicoccum australe* and *N. luteum* on *Quercus robur,* 560N
caused by *Neofusicoccum australe* on avocado, 842N
caused by *Neofusicoccum parvum* on walnut, 1114N
Brassica campestris var. *pekinensis,* powdery mildew, 1256N
Brassica carinata
powdery mildew caused by *Erysiphe cruciferarum,* 1256N
Turnip mosaic virus infection, 1664N
Brassica chinensis, anthracnose, 687N
Brassica juncea
bacterial blight resistance, 131
powdery mildew on *Erysiphe cruciferarum,* 1383N
Brassica napus. See Canola
Brassica oleracea, bacterial blight resistance, 131
Brassica oleracea var. *capitata*
Heterodera cruciferae pathogenicity and host-parasite relationships, 333
powdery mildew caused by *Erysiphe cruciferarum,* 1256N
Brassica rapa
bacterial blight resistance, 131
powdery mildew caused by *Erysiphe cruciferarum,* 1256N
soft rot caused by *Pectobacterium wasabiae,* 1110N
Brassica rapa subsp. *rapa,* black spot, 1505N
Brassicas
bacterial blight resistance, 131
stem canker caused by *Leptosphaeria biglobosa,* 1113N
Brazilian peppertree. *See* Schinus terebinthifolius
Bread wheat. *See* Wheat
Brennan, M., 426N
Brenneria nigrifluens, 1504N
Brentu, F. C., 1661N
Brevipalpus-transmitted viruses (BrTVs), 1346
Brick, M. A., 1200
Briddon, R. W., 1396
Brielmaier-Liebetanz, U., 1120N
Brito, J. A., 151N
Brlansky, R. H., 1158, 1227, 1235
Broad bean (*Vicia faba*), giant stem nematode infection, 1005N
Broad bean wilt virus-2, 1261N
Broccoli soft rot, 1504N
Brodeur, L., 354
Brooks, W. S., 838N
Brown, J. K., 1122N
Brown-Guedira, G., 882
Brown leaf rust fungi, molecular phylogenetic relationships, 1408
Brown leaf spot and panicle blight, of *Zanthoxylum piperitum,* 840N
Brown patch, residual efficacy of fungicides on creeping bentgrass, 1620
Brown rot
caused by *Monilia polystroma* on apple, 145N
caused by *Monilia yunnanensis* on *Crataegus pinnatifida* var. *major,* 1249N, cover photo: September
caused by *Monilinia fructicola*
on apple, 689N
on nectarine, 147N
on peach, 1255N
on sweet cherry, 145N
characterization of fungicide resistance, 645
isolation of strains from stone fruit orchards resistant to both MBC and DMI fungicides, 1063
Brown rust resistance, in 'Quaiu 3' spring wheat, 728
Bruckart, W. L., III, 146N
Brugmansia spp., 850N
Bryson, P. K., 848N
Bryum argenteum var. *argenteum,* 289N
Buck, J. W., 921, 1491
Buddleja stachyoides, downy mildew, 560N
Bulajić, A., 147N, 150N, 430N, 850N, 851N, 1002N, 1004N, 1124N
Bulgari, D., 1505N
Bulked segregation analysis (BSA), of downy mildew resistance in cucumber, 245
Bull's eye rot, of apple in Chile, 485
Burgman, M. A., 828
Burkholderia andropogonis, 1654N
Bursaphelenchus xylophilus, 1126N
Bush, E., 424N, 1663N
Butterflybush (*Buddleja stachyoides*), downy mildew, 560N
Bux, H., 379
Buxus sempervirens, leaf blight, 1121N
Buxus sempervirens subsp. *hyrcana,* 1121N
Buxus spp. *See* Boxwoods
Byamukama, E., 21

Cabbage
Heterodera cruciferae pathogenicity and host-parasite relationships, 333
soft rot caused by *Pectobacterium wasabiae,* 1110N
'Cabernet Sauvignon' grapevine, pathogenicity of diatrypaceous fungi, 749
Cabral, C. S., 422N
Cabrio (pyraclostrobin), 196
Cacciola, S. O., 152N, 688N, 1091
Caceres, O., 1245N
Cadle-Davidson, L., 1529
Caesar, A. J., 143N
Caesar-TonThat, T. C., 143N
Cai, J., 1514N
Cai, J. H., 1001N
Cai, J.-H., 431N
Caiazzo, R., 1257N
Caisse, O., 354
Caixeta, E. T., 1255N
Calcium application, effect on susceptibility to Banana Xanthomonas wilt, 123
Calegario, R. F., 1346
California fan palms, petiole blight, 1509N
Calitz, F., 1605
Callistemon (bottlebrush), 37
Callistephus chinensis (China aster), 530
Calonectria diseases
fungicides in the control of, 37
leaf spot on ohelo, 990N
Calonectria hongkongensis, 1117N
Calonectria morganii, 37
Calonectria pauciramosa, 37
Calonectria pseudonaviculata, 1082, 1121N
Calvo-Salazar, V., 728
Câmara, M. P. S., 140N, 1248N, 1659N
Camargo, L. E. A., 421N
Cameron, R. S., 688N
Camphor (*Cinnamomum camphora*), 1377N
Canale, M. C., 419N
'*Candidatus* Liberibacter asiaticus'
associated with citrus huanglongbing in California, 283N
diagnostic detection system, 1295
effect of high temperature on titers in citrus and acquisition rates by *Diaphorina citri,* 1563
presymptomatic fibrous root decline in citrus and potential interaction with *Phytophthora* spp., 1195
quantification using real-time PCR and propidium monoazide, 1158
'*Candidatus* Liberibacter solanacearum'
associated with psyllid-infested tobacco, 1244N, cover photo: September
on eggplant in Honduras, 1654N
on potato in Nicaragua, 1109N
on tobacco in Honduras, 1376N
on tomato in El Salvador, 1245N
on tomato in Honduras, 1375N
'*Candidatus* Liberibacter' spp.
development of primers and probes for detection by real-time PCR, 1235
management strategies in young sweet orange plantings, 789
'*Candidatus* Phytoplasma asteris,' 1504N
'*Candidatus* Phytoplasma brasiliense,' 419N
'*Candidatus* Phytoplasma cynodontis,' 1504N
'*Candidatus* Phytoplasma mali,' 1376N
'*Candidatus* Phytoplasma phoenicium'-related phytoplasma, 1110N
'*Candidatus* Phytoplasma solani'
on blackberry, 282N
strains associated with grapevine bois noir, 1505N
Candresse, T., 849N, 1124N
Cane and leaf rust, on *Rubus fruticosus,* 1115N
Canker disease
associated with *Neofusicoccum australe* and *N. luteum* on *Quercus robur,* 560N
caused by *Chrysoporthe deuterocubensis* on *Syzygium samarangense,* 1508N
caused by *Cytospora germanica* on *Populus* spp., 846N
caused by *Neofusicoccum parvum* and *N. asutrale* on blueberry bushes, 1112N
in cold-stored fruit and nut tree seedlings, 259
Canola (*Brassica napus*)
blackleg caused by *Leptosphaeria maculans,* 842N
stem rot caused by *Sclerotinia minor,* 1660N
Cantalapiedra-Navarrete, C., 333
Cantaloupe
charcoal rot caused by *Macrophomina phaseolina,* 141N
efficacy of fungicides and rotational programs for powdery mildew management, 196
Cao, M., 491
Cao, S., 1168
Cao, S. Q., 379
Cao, T., 277
Cao, W., 1168
Cao, X. M., 1514N
Cao, Z. Y., 1506N
Capik, J. M., 813
Capsicum annuum
Broad bean wilt virus-2 in the Czech Republic, 1261N
fruit rot caused by *Fusarium concentricum* in China, 1657N
Pepper vein yellows virus infection, 1261N
potential resistance to *Phytophthora capsici,* 1037
soft rot caused by *Pectobacterium carotovorum* subsp. *carotovorum,* 1109N
Tomato yellow fruit ring virus infection, 1259N

See also Pepper
Capsicum frutescens, anthracnose, 138N
Carbendazim, protection of pruning wounds from *Eutypa lata* infection in grapevines, 1599
Carbon dioxide, as a water disinfestant for Phytophthora disease risk mitigation, 369
Carbonell, S. A. M., 1346
Carboxin, 118
Carica papaya. See Papaya
Carisse, O., 222
Carlucci, A., 846N
Carr, E. A., 1524
Carrillo-Fasio, J. A., 1257N
Carrot (*Daucus carota*)
cavity spot caused by *Pythium recalcitrans,* 991N
quantitative molecular detection of *Xanthomonas hortorum* pv. *carotae* in seed, 1585
Carson, M. L., 1544
Carter, B. A., 836N
Cartwright, R., 491
Caruso, F. L., 436
Carya aquatica, 601
Carya cathayensis, 1253N
Carya illinoinensis. See Pecan
Carya ovata, 601
Casati, P., 1505N
Case, A. J., 1200
Casset, C., 144N
Castaño, R., 1112N
Castillo, J. D., 967
Castillo, P., 333, 1261N
Castillo, S., 1112N
Castlebury, L. A., 912
Catal, M., 835N
Catalpa fargesii f. *duclouxii,* 138N
Catharanthus roseus. See Vinca
Cauliflower stunt, 419N
'Cavendish' banana, 1003N
Cavicchi, L., 1387N
Cavity spot of carrot, caused by *Pythium recalcitrans,* 991N
Cayetano, X. A., 339
Celebi-Toprak, F., 849N
Cennamo, G., 1387N
Center rot of onion, 1524
Ceratobasidium sp.
damping off on *Tagetes erecta,* 1251N
root rot on *Atractylodes macrocephala,* 139N
Ceratocystis fimbriata, 1116N
Cercis chinensis (Chinese redbud), 1513N
Cercospora asparagi, 428N
Cercospora beticola, 1255N
Cercospora blight of asparagus, 428N
Cercospora leaf spot (CLS), QoI insensitivity in sugar beet, 1255N
Cercospora zeina, 1656N
Cereal crops
infection by *Cereal yellow dwarf virus* and *Barley yellow dwarf virus* in Azerbaijan, 849N
yield loss caused by *Fusarium culmorum* and *F. pseudograminearum,* 977
Cereal cyst nematodes
species-specific assays, 1288, 1611
spring wheat tolerance and resistance, 590
Cereal yellow dwarf virus (CYDV), 849N
Cerioni, L., 201
Cevallos-Cevallos, J. M., 1003N
Chaetomella sp., leaf spot on *Sansevieria trifasciata,* 992N
Chai, M., 1123N
Chamaecyparis lawsoniana (Port-Orford-cedar), 152N
Chambers, G. A., 1386N
Chandra, P., 284N
Chandra, S., 284N
Chang, C. A., 1001N
'Changlot Real' olive, 668
Chao, C. H., 835N
Chapman, J. R., 708
'Chara' spring wheat, 590
Charcoal rot
caused by *Macrophomina phaseolina* in cantaloupe melon, 141N
caused by *Macrophomina phaseolina* in soybean, 1506N
Charkowski, A. O., 1268
Chatriwala dela. *See* Cyperus iria
Chauhan, A., 418N
Chaves, A., 289N
Chaves Padin, M., 1252N
Chávez, E. R., 485
Chawla, S., 568
Chebil, S., 836N
Chen, B. S., 1001N
Chen, C. Q., 288N
Chen, C. T., 1132
Chen, C.-Y., 1375N
Chen, F., 81, 145N, 645, 1063
Chen, G., 1295
Chen, G.-Y., 1187
Chen, J.-P., 1181
Chen, K.-C., 1260N
Chen, L., 1168
Chen, M. C., 1518N
Chen, S., 645
Chen, S. F., 993N, 994N
Chen, S. N., 1256N
Chen, X., 843N, 1508N
Chen, X. M., 379, 839N
Chen, X. Y., 138N
Chen, Y., 558N
Chenenaoui, S., 836N
Cheng, A.-S., 1375N
Cheng, B., 1295
Cheng, B. P., 1508N
Cheng, Y. H., 1001N
Cheng, Y.-H., 1260N
Cheng, Y.-Q., 1339
Cheng, Z. B., 430N, 1123N
Chennappa, G., 1517N
Chenopodium quinoa. See Quinoa
Cheon, W., 1114N, 1115N
Cherry green ring mottle virus (CGRMV), 1122N
Cherry leaf spot, effect of sanitation treatments on, 891
Cherry necrotic rusty mottle virus (CNRMV)
in Chile and South America, 1122N
on stone fruit trees in China, 290N
Cherry plum (*Prunus domestica* var. *insititia*), *Hop stunt viroid* in Greece, 1662N
Chesneau, T., 989N
Chi, F. M., 845N
Chi, F.-M., 422N
Chi, Y. C., 140N
Chickpea (*Cicer arietinum*), anthracnose caused by *Colletotrichum truncatum,* 1507N
Chien, L. Y., 1001N
Chikh-Ali, Y. M., 1370
Childers, R., 873
Chilvers, M. I., 1387N
China aster (*Callistephus chinensis*), 530
Chinaberry, 993N
Chinese bean tree, 138N
Chinese cucumber (*Trichosanthes kirilowii*), 1388N
Chinese elm (*Ulmus parvifolia*), 426N
Chinese hickory (*Carya cathayensis*), 1253N
Chinese jujube. *See* Zizyphus jujuba
Chinese lantern (*Physalis alkekengi* var. *franchetti*), 1382N
Chinese redbud (*Cercis chinensis*), 1513N
Chintaluri, K., 291N
Chitosan, effect on quality and storage decay of table grapes, 307
Chiunga, E., 1260N
Chloropicrin, 530
Cho, H. J., 1382N
Cho, S. E., 147N, 691N, 843N, 847N, 998N, 1117N, 1118N, 1119N, 1120N, 1121N, 1254N, 1382N, 1383N, 1514N
Chodorska, M., 1515N
Choi, G. J., 1593
Choi, H.-W., 1377N
Choi, I. Y., 1119N
Choi, J. K., 998N
Choi, J.-K., 1376N
Choi, O., 1118N
Choi, T. H., 1593
Choi, Y. H., 1593
Choi, Y. J., 422N, 1382N
Choudhary, N., 1227, 1235
Christmas berry. *See* Schinus terebinthifolius
Chromosomal mapping, of downy mildew resistance in cucumber, 245
Chrysanthemum (*Chrysanthemum* × *morifolium*)
16SrIX group phytoplasma, 1110N
tomato spotted wilt virus, 150N
wilt and stem rot caused by *Fusarium oxysporum,* 1118N
Chrysoporthe deuterocubensis, 1508N
Chun, I.-J., 1114N
Chung, B. N., 1514N
Cibelli, F., 846N
Cicer arietinum, 1507N
Cichorium endivia (endive), leaf spot, 848N
Cichorium intybus (Italian dandelion), bacterial leaf spot, 837N
Cichorium intybus var. *foliosum,* 1376N
Cinnamomum camphora (camphor), 1377N
Cinyabuguma, E., 1664N
Cirvilleri, G., 37
Citron (*Citrullus lanataus* var. *citroides*), 1149
Citrullus lanatus. See Watermelon
Citrus
Citrus tristeza virus population changes in the Dominican Republic, 339
diagnostic detection system for '*Candidatus* Liberibacter asiaticus,' 1295
effect of higher temperature on the spread of HLB, 1563
management strategies for HLB in young sweet orange plantings, 789
phosphite salts to control postharvest decay, 201
population genetic analysis of *Lasiodiplodia* spp., 1363
presymptomatic fibrous root decline caused by HLB and potential interaction with *Phytophthora* spp., 1195
Citrus aurantifolia. See Lime
Citrus bacterial canker (CBC), 1187
See also Asiatic citrus canker
Citrus fruit and leaf spot, caused by *Pseudocercospora angolensis,* 1661N
Citrus greening, 283N
See also Huanglongbing
Citrus huanglongbing. *See* Huanglongbing
Citrus leprosis virus C (CiLV-C), 1346
Citrus limon. See Lemon
Citrus reticulata Blanco cv. Shiyue Ju, 1508N
Citrus tristeza virus (CTV)
in Bosnia and Herzegovina, 1665N
population changes in the Dominican Republic, 339
trifoliate resistance breaking genotype, 1227
Cladosporium cladosporioides, 510
Cladosporium fulvum, 992N
Cladosporium oxysporum, 845N
Cladosporium spp., core browning and moldy core of apple fruit, 510
Cladosporium tenuissimum, 510
Clark, C. A., 53, 1636

Clover, G. R. G., 662
Clubroot, 720
Coast live oak (*Quercus agrifolia*), 1025
Coats, K., 996N
Cobbler's peg, 1254N
Cochliobolus sativus, 62
Cocklebur (*Xanthium strumarium*), 842N
Coconut, post-emergence damping off in seedlings, 143N
Coconut yellow decline (CYD), 1504N
Coffea arabica, 1255N
Coffea canephora, 1255N
Coffee trees, anthracnose caused by *Colletotrichum boninense*, 1255N
Coggeshall, M., 601
Cohen, Y., 292N, 559N, 692N
Cold-stored fruit and nut tree seedlings, etiology of canker disease, 259
Coleus (*Solenostemon*), 149N
Coleus blumei viroid, 149N
Coleus blumei viroid 5, 561N
Collard, 131
Colletotrichum acutatum
  anthracnose
    on black elderberry, 1246N
    on gooseberry fruits, 1249N
    on high-bush blueberry, 422N
    on sunflower sprouts, 838N
  artificial inoculation on southern highbush blueberry, 213
  associated with Andean lupine and tamarillo, 819
  stem blight on blueberry, 422N
Colletotrichum boninense
  anthracnose on coffee trees, 1255N
  anthracnose on pepper, 138N
Colletotrichum brevisporum, 1659N
Colletotrichum capsici, 687N
Colletotrichum chlorophyti, 1510N
Colletotrichum fruticola, 1000N
Colletotrichum gloeosporioides
  anthracnose
    on banana, 991N
    on *Schefflera actinophylla*, 998N
    on smoothlip cymbidium, 997N
    on soybean, 841N
  Anthracnose fruit rot on common fig, 1119N
  leaf spot disease on Chinese been tree, 138N
  postharvest anthracnose of persimmon, 691N
  stem and leaf anthracnose on blueberry, 845N
  stem-end rot in avocado, 1580
Colletotrichum karstii, 1248N
Colletotrichum liriopes, 559N
Colletotrichum phormii, 1115N
Colletotrichum sansevieriae, 1510N
Colletotrichum siamense, 1508N
Colletotrichum spaethianum, 1380N
Colletotrichum truncatum, 1507N
Colocasia esculenta (taro), 1000N
Columnea latent viroid (CLVd), 692N
Common alder (*Alnus glutinosa*), Alder yellows phytoplasma, 686N
Common bean (*Phaseolus vulgaris*)
  as an experimental indicator for *Citrus leprosis virus C*, 1346
  bean rust resistance, 652
  root knot nematode in Brazil, 431N
  Southern blight caused by *Sclerotium rolfsii*, 1386N
Common box (*Buxus sempervirens*)
  root rot and lower stem necrosis, 152N
  See also Boxwoods
Compost, suppression of Pythium and Phytophthora damping-off in rooibos, 1601
Conner, K. N., 835N, 1379N
Constable, F. E., 1386N
Contact transmission, of *Zucchini yellow mosaic virus*, 765
Coombs, E. M., 146N
Copper, sensitivity of *Erwinia amylovora* to, 1484
Coprinus comatus (shaggy mane), 1507N
Corchorus olitorius (jute), bacterial leaf spot, 1109N
Core browning, of apple fruit, 510
Core rot, of apple fruit, 510
Coriander (*Coriandrum sativum*), bacterial leaf spot, 418N
Cork oak (*Quercus suber*), 991N
Corky bark disease of langsat, 990N
Corn (*Zea mays*)
  foliar spots caused by *Fusarium sporotrichioides*, 1113N
  identification of *Maize rayado fino virus* resistance in inbred lines, 1418
  lance nematode infection, 1389N
  Meloidogyne incognita infection, 694N
  seedling blight and stalk rot caused by *Fusarium temperatum*, 1252N
Cornelian-Cherry, blighted leaves and shoot dieback, cover photo: July
Cornelius, E. W., 1661N
'Cornicabra' olive, 668
Cornish, D. A., 708
Corn leaf spot, 1506N
Cornus controversa, stem canker, 1378N
Correia, A., 560N
Correia, K. C., 140N, 737
Correll, J. C., 113, 491, 1457
Cortez, A. A., 1352
Corylus americana (American hazelnut), 813
Corylus avellana
  real-time PCR assay for early detection of *Anisogramma anomala*, 813
  shoot blight and canker, 144N
  stem canker and dieback caused by *Diaporthe australafricana*, 1657N
Corylus heterophylla, leaf spot, 1254N
Corynespora cassiicola (Corynespora leaf spot)
  on *Akebia trifoliata*, 1659N
  on *Baphicacanthus cusia*, 690N
  on beach vitex, 1512N
  on golden vicary privet, 1113N
  on rose of sharon, 847N
  target spot on cotton, 1379N
Corynespora cassiicola f. sp. *schinii*, 496
Ćosić, J., 1002N
Cotinus coggygria (smoke tree), 1645
Cotton (*Gossypium hirsutum*)
  biocontrol of reniform nematodes, 967
  Corynespora cassiicola-incited target spot, 1379N
  lance nematode infection, 1389N
  Meloidogyne enterolobii infection, 1262N
Cotton leaf curl Burewala virus (CLCuBuV), 1122N
Cotton leaf curl disease (CLCuD), 1122N
Cotton leaf curl Multan betasatellite (CLCuMB), 1122N
Cotton rose, 1118N
Cottrell, T. E., 626
Coutinho, M. M., 780
Coutts, B. A., 765
Cowpea, *Cowpea mottle virus* infection, 1001N
Cowpea mottle virus, 1001N
Crabapple (*Malus floribunda*), fire blight, 1244N
Cranberry (*Vaccinium macrocarpon*), effects of simulated hail and subsequent fungicide applications on fruit rot, 1207
Cranshaw, W., 601
Crataegus pinnatifida var. *major*, brown rot, 1249N, cover photo: September
Cre1 resistance gene, 590
Creeping bentgrass (*Agrostis stolonifera*), residual efficacy of fungicides for brown patch, 1620
Crested molded wax agave (*Echeveria agavoides*), 288N
Creswell, T., 635
'Cripps Pink' apple, 485
Crop rotations, effect on *Pratylenchus* spp. in semiarid winter wheat production, 537
Crosslin, J. M., 149N
Crotalaria juncea (Sunn hemp), 1652N
Crous, P. W., 1117N, 1121N
Crown and stem rot, of crested molded wax agave, 288N
Crown gall
  caused by *Agrobacterium tumefaciens* on soapberry, 685N
  caused by *Agrobacterium vitis* on grapevines, 836N
Crown rot of strawberry, 996N
Crown rust resistance, screening wild oat accessions from Morocco for, 1544
Cruz Jimenez, D. R., 284N
Cryptosphaeria spp., 749
Cryptosporiopsis quericiphila sp. nov., 1025
Cryptovalso ampelina, 749
Cryptovalso rabenhorstii, 749
Cucumber (*Cucumis sativus*)
  chromosomal mapping and QTL analysis of downy mildew resistance, 245
  Cucumber vein yellowing virus infection in Lebanon, 1516N
  Cucurbit chlorotic yellows virus infection, 1005N
  evaluation for resistance to *Zucchini yellow mosaic virus*, 1316
  leaf spot caused by *Stemphylium solani*, 287N
  Meloidogyne ethiopica infection, 1262N
Cucumber mosaic virus (CMV)
  infection of *Peperomia tuisana*, 1004N
  Lamium maculatum as a natural host, 150N
  on melon in Bosnia and Herzegovina, 1124N
Cucumber vein yellowing virus (CVYV), 1516N
Cucumis anguria, 1515N
Cucumis dipsaceus, 1149
Cucumis melo
  charcoal rot caused by *Macrophomina phaseolina*, 141N
  Cucumber mosaic virus in Bosnia and Herzegovina, 1124N
  Cucurbit chlorotic yellows virus infection, 1005N
  efficacy of fungicides and rotational programs for powdery mildew management, 196
Cucumis metuliferus, 1149
Cucumis sativus. *See* Cucumber
Cucurbita maxima
  age-related resistance to Phytophthora fruit rot, 446
  bacterial leaf spot caused by *Xanthomonas cucurbitae*, 1375N
  Squash vein yellowing virus infection, 1149
Cucurbita moschata
  age-related resistance to Phytophthora fruit rot, 446
  evaluation for resistance to *Zucchini yellow mosaic virus*, 1316
  Squash vein yellowing virus infection, 1516N
Cucurbita moschata × *C. maxima*, 1018
Cucurbita pepo
  evaluation for resistance to *Zucchini yellow mosaic virus*, 1316
  gray mold caused by *Botrytis cinerea*, 1116N
  novel *Potyvirus* causing chlorotic mottling, 1259N
  Phytophthora crown and root rot in Spain, 1249N
Cucurbit chlorotic yellows virus (CCYV), 1005N
Cucurbit mild mosaic virus (CuMMV), 1388N
Cucurbit rootstocks, susceptibility to and control of gummy stem blight, 1018
Cucurbits
  downy mildew, host preference of mating

type, 292N
evaluation for resistance to *Zucchini yellow mosaic virus*, 1316
occurrence of downy mildew pathogen A2 mating type in China, 559N
seed detection of *Acidovorax citrulli* using a padlock-probe-based assay, 961
Squash vein yellowing virus infection and the vine decline response, 1149
Cucurbit yellow stunting disorder virus (CYSDV), 1005N
Cultivation, effect on large patch disease of zoysiagrass, 1075
Cummings, J. A., 1506N
Cummings, T. F., 183
Curcuma wenyujin, 138N
Ćurković, B., 430N, 1004N, 1124N
Curled dock (*Rumex crispus*), 427N
Curtis, M., 517
Curvularia clavata, 138N
Curvularia gladioli, 847N
Curvularia leaf blight, on *Curcuma wenyujin*, 138N
Cut leaf ground cherry (*Physalis angulata*), 692N
Cvrković, T., 686N
Cycloconium oleagineum, 1549
Cylindrocarpon obtusiusculum, 259
Cylindrocarpon sp., associated with root rot of strawberry, 1251N
Cylindrocladiella parva, 1120N
Cylindrocladium buxicola, 1082
Cylindrocladium candelabrum, 780
Cylindrocladium pseudonaviculatum, 559N, 1082
Cymbidium kanran, 997N
Cynara cardunculus, 1388N
Cynodon dactylon. *See* Bermudagrass
Cynodon dactylon × *C. transvaalensis*, 561N
Cyperus iria, leaf blight, 838N
Cyprodinil, 81, 393
Cyst nematodes
pathogenicity and host-parasite relationships in cabbage, 333
species-specific assays for differentiating *Heterodera filipjevi* and *H. avenae*, 1611
Cytochrome b gene, G143A mutation, 1511N
Cytoplasmic-type *Brevipalpus*-transmitted viruses, 1346
Cytospora atrocirrhata, 426N
Cytospora germanica, 846N
Cytospora sacculus, 1661N

Dactylis glomerata, 323
Dai, Y. L., 1380N
Dal Bó, E., 1662N
Dallagnol, L. J., 289N, 421N
Damme, N., 152N
Damping-off
caused by *Ceratobasidium* sp. on *Tagetes erecta*, 1251N
caused by *Fusarium acuminatum* on Aleppo pine, 557N
caused by *Fusarium chlamydosporum* on Aleppo pine, 1506N
caused by *Fusarium commune* on soybean, 284N
caused by *Phytophthora nicotianae* on okra, 558N
caused by *Pythium aphanidermatum* on leaf beet, 292N
caused by *Pythium* spp. on Douglas-fir seedlings, 744
on rooibos, suppression by compost and nonpathogenic *Pythium*, 1601
Damsteegt, V. D., 1235
Daniels, J. P., 1620
Danies, G., 296, 873
Dankers, H., 1664N
da S. Freitas, C., 780
da S. Machado, P., 780
da Silva, W. L., 1636
Date palm (*Phoenix dactylifera*)
population genetic analysis of *Lasiodiplodia* spp., 1363
postharvest black spot caused by *Alternaria alternata*, 286N
postharvest blue mold caused by *Penicillium expansum* on fresh fruit, 846N
Daucus carota. *See* Carrot
Daughtrey, M., 1258N
Daugovish, O., 315
Dávalos-González, P. A., 1002N
Davis, A., 744
Davis, D. D., 837N, 999N
Davis, J. A., 53
Davis, K., 1386N
Davis, M. J., 1158
Daylily (*Hemerocallis*), 921
Daylily rust, management with fungicides, 921
Deadman, M. L., 284N, 687N
de Beer, Z. W., 856
de Castro, F. R., 421N
De Clerck, C., 693N
de Cock, A. W. A. M., 4
Dee, M. M., 1654N
De Francesco, A., 1662N
de Freitas, R. G., 780
de Jensen, C. E., 1516N
DeJong, T. M., 277
De Jonghe, K., 282N
del C. Ridao, A., 556N
Delcourt, S., 373
Delibašić, G., 147N, 851N
Delić, D., 1665N
Del Río, C., 668
Demethylase inhibitor (DMI) resistance, in field strains of *Monilina furcticola*, 1063
Demoz, B., 842N
Deng, C. L., 290N
Deng, M., 843N
Derie, M. L., 1585
Desbiez, C., 1515N
de Silva, A. S., 1244N
De Vita, P., 991N
Devran, Z., 1262N
De Wolf, E., 21
Dey, P., 1109N
D'Haeyer, S., 1082
Diao, Y. Z., 138N
Diaphorina citri, 283N, 789, 1563
Diaporthaceae, spore trapping and pathogenicity associated with avocado branch canker, 329
Diaporthe ambigua, 843N
Diaporthe australafricana
stem canker and dieback in European hazelnut, 1657N
stem canker of blueberry, 1042
Diaporthe eres, 912
Diaporthe phaseolorum var. *sojae*, 287N
Diaporthe spp.
stem canker of blueberry, 1042
wood cankers of grape, 912
Diaporthe viticola, 231
Diatrypaceous fungi, pathogenicity on grapevines, 749
Diatrypella verrucaeformis, 1025
Diatrypella vulgaris, 749
Diatrype oregonensis, 231
Diatrype stigma, 231
Díaz, G. A., 141N, 143N, 1042
Díaz, I., 996N
Díaz Arias, M. M., 284N, 1557
Dibwe, D., 1664N
Dicentra spp., 635
1,3-Dichloropropene, 530
'Dickenson Field' processing pumpkin, 446
Dickeya dieffenbachiae, 282N
Dickson, D. W., 151N
Didymella bryoniae, 1018
Dieback
caused by *Cylindrocladiella parva* on *Euonymus fortunei*, 1120N
caused by *Lasiodiplodia theobromae* on *Aquillaria sinensis*, 690N
caused by *Tomato spotted wilt virus* in *Arctotis* × *hybrida*, 1387N
Dieffenbachia picta 'Camilla,' 1253N
Dikova, B., 1258N
Dimethomorph, 107
Ding, J. P., 995N
Diospyros kaki, 691N
Diplodia coryli, 144N
Diplodia mutila, 231
Diplodia seriata
loquat fruit rot, 421N
olive twig and branch dieback, 231
Disease severity assessment, for pecan scab, 675, 797
Disinfectants, in control of *Zucchini yellow mosaic virus*, 765
Dittman, J. D., 693N
Ditylenchus gigas, 1005N
Dixon, E., 428N
Djelouah, K., 1665N
Djourmanski, A., 1258N
DNA sequencing, analysis of rice blast fungus, 491
Doctor, J., 201
Dolabra nepheliae, 990N
Dolovac, N., 420N
Domier, L. L., 693N
Donald, P. A., 1389N
Doñana Biological Reserve, 991N
Dong, J. G., 1506N
Dong, S. W., 1388N
Dong, W. B., 921
Dong, W. H., 1507N
Dong, X. B., 283N
Dorigo, O. F., 431N
Dorrance, A. E., 693N
Dothiorella canker, 897
Dothiorella iberica, 231
Dothistroma needle blight (DNB), 1247N
Dothistroma septosporum, 1247N
Douglas-fir (*Pseudotsuga menziesii*)
Armillaria root disease caused by *Armillaria gallica*, 1658N
pathogenicity and virulence of *Pythium* spp. from forest nursery soils, 744
Douhan, G. W., 1537
Doulis, A. G., 1253N
Doussoulin, H., 1113N
Dowlut, S., 708
Downy mildew
on basil, 692N, 1248N
caused by *Peronospora sordida* on butterflybush, 560N
caused by *Peronospora* sp. on Persian buttercup, 422N
caused by *Plasmopara halstedii* on *Gerbera jamesonii*, 1382N
caused by *Plasmopara obducens* on impatiens, 428N, 687N, 1512N
on cucurbits
host preference of mating type, 292N
occurrence of A2 mating type in China, 559N
resistance in *Cucumis sativus*, 245
Doyle, O., 284N
Dry core rot of apple, 510
Dryland wheat production, relationship between climactic factors and the distribution of *Pratylenchus* spp., 1448
Dry rot canker of sugar beet, 1508N, cover photo: November
Du, D., 1295

Du, H. F., 140N
Du, Q., 1661N
Du, Z. G., 1652N
Duan, X., 1168
Duangsong, U., 291N
Duarte, L. L., 1382N, 1517N
Duceppe, M. O., 292N
Dudai, M., 1513N
Duduk, N., 145N, 1659N
Dumb cane. *See* Dieffenbachia picta 'Camilla'
Duong, T. A., 1012
Duralija, B., 1656N
Durango fir (*Abies durangensis*), 431N
Durante, G., 836N
Duta, B., 556N
du Toit, L. J., 927, 1457, 1585, 1626
Dutta, B., 1375N
Dyson, C. B., 977

Early blight of potato
  boscalid and penthiopyrad resistance in Michigan, 1655N
  caused by *Alternaria tenuissima*, 1246N
  SDHI resistance, 952
Eastern black walnut. *See* Black walnut
Eastern filbert blight (EFB), 813
Eastwell, K. C., 851N
Echeveria agavoides, 288N
Eckstein, B., 289N
Edwards, J., 828
Eggplant (*Solanum melongena*)
  '*Candidatus* Liberibacter solanacearum' infection in Honduras, 1654N
  leaf spot caused by *Stemphylium solani*, 689N
  potential resistance to *Phytophthora capsici*, 1037
  soft rot caused by *Pectobacterium wasabiae*, 685N
  Verticillium wilt caused by *Verticillium dahliae* on *Solanum aethiopicum* grafts, 840N
Eggplant rootstocks, potential resistance to *Phytophthora capsici*, 1037
Eisenback, J. D., 1221
Eizenberg, H., 695N
El Amil, R., 996N
Elderberry, 1246N, 1515N
Elfar, K., 1042
Elhaitoum, A., 557N, 997N, 1111N, 1506N
Elling, A. A., 1448
Elliott, M. L., 1511N
Ellis, M. A., 579
Ellis, M. L., 284N, 1557
Elm canker, 426N
Elmer, W. H., 436, 530
Elmhirst, J. F., 559N
Elsinoë ampelina, 222
'Empeltre' olive, 668
Endive (*Cichorium endivia*), leaf spot, 848N
End rot disease complex, on sweet potato, 1636
Engelbrecht, J., 1012
English walnut. *see* Juglans regia
Enzyme-linked immunosorbent assay (ELISA), to monitor current-season spread of *Potato virus Y*, 641
Epichloë typhina, 323
Epicoccum spp., dry core rot of apple, 510
Ergun, M., 1388N
Eriobotrya japonica. *See* Loquat
Eriophyid mites, 323
Erkan, S., 1388N
Eruca sativa, 1256N
Eruca vesicaria, 1256N
Erwinia amylovora
  evaluation of non-antibiotic control strategies in organic pome fruit, 402
  fire blight
    on crabapple, 1244N
    on pear in Iran, 1111N
    on rose hip, 1652N
  sensitivity to streptomycin, oxytetracycline, kasugamycin, and copper, 1484
Erysiphe cruciferarum
  powdery mildew on cruciferous species in Australia, 1256N
  powdery mildew on garden cress, 998N
  powdery mildew on Indian mustard, 1383N
Erysiphe heraclei, 427N
Erysiphe hypophylla, 287N
Erysiphe necator, 1438
Erysiphe platani
  powdery mildew on *Platanus occidentalis*, 843N
  powdery mildew on sycamore, 841N
Esca disease, 1247N
Eskalen, A., 329, 897, 938, 1025, 1247N, 1511N, 1580
Eskandari, F. M., 146N
Espinosa-Matías, S., 994N
Espinoza, L., 1003N
Esterio, M., 842N, 843N
Estez de Jensen, C., 1378N
Ethiopian mustard, 1664N
Eugenia javanica, 1508N
Eujayl, I. A., 93, 1175
Euonymus fortunei, 1120N
Euphorbia larica dieback, 687N
European hazelnut. *See* Corylus avellana
Eutypa lata
  olive twig and branch dieback, 231
  pathogenicity on grapevines in Australia, 749
  protection of pruning wounds from infection in grapevines, 1599
  wood infection of *Vitis* spp., 1529
Eutypa leptoplaca, 749
Eutypa spp., wood infection of *Vitis* spp., 1529
Eutypella citricola, 749
Eutypella microtheca, 749
Evans, M. L., 977
Evans, R. G., 143N
Everts, K., 296
Eyespot of wheat, 346
Eyres, N., 1256N
Ezra, D., 1513N

Faba bean (*Vicia faba*), root rot, 461
Faber, B., 329
Faedda, R., 152N, 688N, 1091
Fageria, M. S., 641
Fairchild, K. L., 1655N
Fairweather, M. L., 1658N
Falconí, C. E., 819
Fallopia japonica, 146N
Fan, G., 1295
Fan, H. Y., 1388N
Fan, J. R., 138N
Fan, M. C., 1253N, 1508N
Fan, M.-C., 690N
Fan, Y. J., 1123N
Fan, Z. F., 1123N
Fang, L., 990N
Farfugium japonicum, 691N, 1382N
Fargette, D., 1664N
Farnham, M. W., 131
fasA gene, 517
fasD gene, 517
Faske, T. R., 1658N
fasR gene, 517
Fassel, R., 201
Fassini, C. G., 1563
Faure, C., 1124N
Feijoa (*Acca sellowiana*), 37
Félix-Gastélum, R., 994N
Feliz, A. O., 339
Feliziani, E., 307
Fenfuram, 118
Feng, C., 1457
Feng, J. D., 138N
Feng, J. J., 990N
Feng, Z. H., 1657N
Fenhexamid, 307, 393
Fenhexamid resistance, in *Botrytis cinerea* from strawberry fields, 271
Fernandes, C. D., 1003N
Fernández-Ortuño, D., 81, 271, 848N
Fernández-Pavía, S. P., 1660N
Fernando, W. G. D., 842N
Ferreiroa Martinez, V., 1252N
Fersi, R., 836N
Fertilization
  effect of timing on large patch disease of zoysiagrass, 1075
  effect on susceptibility to Banana Xanthomonas wilt, 123
Fevillea trilobata, 1261N
Fichtner, E., 993N
Fig (*Ficus carica*)
  fruit rot caused by *Colletotrichum gloeosporioides*, 1119N
  fruit rot caused by *Phytophthora palmivora*, 1252N
Fikkert, S., 201
Filotas, M., 1248N
Fire blight
  caused by *Erwinia amylovora*
    on crabapple, 1244N
    on pear in Iran, 1111N
    on rosehip, 1652N
  evaluation of non-antibiotic control strategies in organic pome fruit, 402
  sensitivity to streptomycin, oxytetracycline, kasugamycin, and copper, 1484
Fish oil, 402
Fitt, B. D. L., 1168
Fletcher, J., 1097
Flint (trifloxystrobin), 196
Flôres, D., 1652N
Flores, E., 1109N
Flores, L., 1005N
Flowers, M., 1511N
Flowers, M. D., 590
Fluazinam, 1599
Fludioxonil
  effect on avocado branch canker, 897
  sensitivity of *Botrytis cinerea* to, 81, 393
Fludioxonil resistance, in *Botrytis cinerea* from cultivated strawberry, 393, 848N
Fluopicolide, 107
Fluopyram, 118
Fluoxastrobin, 921
Flutolanil, 1620
Fluxapyroxad, 118
Fogliata, G. M., 989N
Foliar blight
  diversity of *Rhizoctonia* spp. causing on *Brachiaria*, 772
  evaluation of *Brachiaria* genotypes for resistance, 772
Foliar necrosis, associated with *Freesia sneak virus*, 1514N
Folimonova, S. Y., 339
Fonsah, E. G., 1116N
Fonseca, M. E. N., 422N, 692N
Font, M. I., 1261N
Foote, P., 93
Forage corn, foliar spots caused by *Fusarium sporotrichioides*, 1113N
Ford, T. M., 601
Forest nursery irrigation water, eradication of plant pathogens in, 780
Forest nursery soils, pathogenicity and virulence of *Pythium* spp. affecting Douglas-fir seedlings, 744
Förster, H., 1322, 1580
Foster, J. M., 1037
Fot3 transposable element, 619
Fourrier, C., 144N

Foxtail palm (*Wodyetia bifurcata*), 1504N
Foxy transposable element, 619
Fraedrich, S. W., 688N
Fragaria × *ananassa*. *See* Strawberry
Fragaria chiloensis cryptic virus (FClCV), 1002N
Fragaria chiloensis latent virus (FClLV), 1002N
Francis, D. M., 1418
'Frantoio' olive, 668
Frazier, T., 424N
Freeman, S., 427N
Freesia refracta, 1514N
Freesia sneak virus (FreSV), 1514N
Freitas, N. M., 1120N
Freitas, R. L., 1255N
Freitas-Astúa, J., 1346
French, J. M., 838N
French, R., 903
French beans, *Cowpea mottle virus* infection, 1001N
French marigold (*Tagetes patula*), bacterial soft rot, 282N
French-Monar, R. D., 1117N, 1380N, 1381N
Fritz, C., 693N
Frost, K. E., 1268
Frosty mildew, on Asian pear, 147N
Fruit and leaf spot of citrus, caused by *Pseudocercospora angolensis* in Ghana, 1661N
Fruit rot
  caused by *Botryosphaeria dothidea* on plum, 556N
  caused by *Calonectria hongkongensis* on rambutan, 1117N
  caused by *Diplodia seriata* on loquat, 421N
  caused by *Gliocephalotrichum bacillisporum* on rambutan, 1110N
  caused by *Penicillium glabrum* and *P. adametzii* on *Schisandra chinensis*, 288N
  caused by *Phytophthora palmivora* on fig, 1252N
  caused by *Stagonosporiopsis cucurbitacearum* on *Luffa cylindrica*, 1120N
  in cranberry, effects of simulated hail and subsequent fungicide applications on, 1207
  post-harvest rot on kiwifruit associated with *Diaporthe ambigua*, 843N
Fruit spot
  caused by *Colletotrichum siamense* on *Citrus reticulata* Blanco cv. Shiyue Ju, 1508N
  caused by *Neofabraea alba* on olive, 1384N
Fruit stem anthracnose, caused by *Glomerella septospora* on kiwifruit, 1115N
Fruit trees, etiology of canker disease in cold-stored seedlings, 259
Fry, J., 1075
Fry, W. E., 296, 873
Fu, F. H., 561N
Fu, G., 141N, 1659N
Fu, J. F., 425N
Fu, M. Y., 1518N
Fu, Y., 837N
Fuchs, M., 849N
'Fuji' apple, moldy core, core browning, and core rot, 510
Fujiyoshi, P. T., 912
Fungicide resistance. *See specific fungicides*
Fungicides
  effect of fungicide application and cultivar on soybean green stem disorder, 1212
  effect of preharvest fungicide on quality and storage decay of table grapes, 307
  effect of seed treatments on soybean stand establishment, 807
  effects of simulated hail and subsequent fungicide applications on fruit rot in cranberry, 1207
  management of avocado branch canker, 897
  management of *Calonectria* diseases, 37
  management of daylily rust, 921
  management of Fusarium wilt of China asters, 530
  management of Gladiolus rust, 1491
  management of powdery mildew on cantaloupe, 196
  protection of pruning wounds from *Eutypa lata* infection in grapevines, 1599
  residual efficacy for controlling brown patch on creeping bentgrass fairways, 1620
  sensitivity of *Botrytis cinerea* to, 81
  soil application to manage Phytophthora crown and root rot on summer squash, 107
  See also specific fungicides
Furtado, G. Q., 847N
Fusarium acuminatum
  canker disease of cold-stored fruit and nut tree seedlings, 259
  damping-off disease on Aleppo pine, 557N
  distribution and frequency in association with soybean roots, 1549
  leaf spot on onion, 1384N
Fusarium avenaceum, 259
Fusarium brachygibbosum, 687N
Fusarium chlamydosporum, 1506N
Fusarium commune
  causing damping-off, seed rot, and seedling root rot on soybean, 284N
  occurrence in horseradish roots, 453
Fusarium concentricum, 1657N
Fusarium crown rot
  influence of semiarid cropping systems on, 547
  soil inoculum concentrations and yield loss in cereals, 977
Fusarium culmorum
  effects of co-inoculation with *Pratylenchus thornei* on winter wheat, 1470
  influence of semiarid cropping systems on inoculum density, 547
  soil inoculum concentrations and yield loss in cereals, 977
Fusarium dieback, host range and ambrosia beetle vector, 938
Fusarium equiseti, 838N
Fusarium foetens, 144N
Fusarium graminearum, 1549
Fusarium kyushuense, 424N
Fusarium lateritium, 1378N
Fusarium mangiferae, 427N
Fusarium oxysporum
  associated with root rot of *Glycyrrhiza uralensis*, 1514N
  cross pathogenicity and vegetative compatibility of isolates from sugar beet, 1200
  crown and stem rot of crested molded wax agave, 288N
  distribution and frequency in association with soybean roots, 1549
  Fusarium rot on lemon, 989N
  occurrence in horseradish roots, 453
  root rot on *Pulsatilla koreana*, 425N
  soft fruit rot disease of gray jujube, 1509N
  wilt on *Hoodia gordonii*, 140N
Fusarium oxysporum f. sp. *betae*, 1200
Fusarium oxysporum f. sp. *callistephi*, 530
Fusarium oxysporum f. sp. *fragariae*, 619
Fusarium oxysporum f. sp. *lycopersici* race 3, on tomato, 422N, 1377N
Fusarium oxysporum f. sp. *opuntiarum*, 846N
Fusarium oxysporum f. sp. *palmarum*, 1511N
Fusarium oxysporum f. sp. *spinaciae*, 927
Fusarium proliferatum
  gladiolus corm rot, 284N
  rot on garlic and onion, 556N
Fusarium pseudograminearum
  influence of semiarid cropping systems on inoculum density, 547
  soil inoculum concentrations and yield loss in cereals, 977
Fusarium redolens, 997N
Fusarium rot, caused by *Fusarium oxysporum* on lemon, 989N
Fusarium sambucinum, 995N
Fusarium solani
  associated with root rot of *Glycyrrhiza uralensis*, 1514N
  canker disease of cold-stored fruit and nut tree seedlings, 259
  distribution and frequency in association with soybean roots, 1549
  infection of coast live oaks, 1025
  infection of sweet potato prior to harvest, 1636
  papaya stem rot, 140N
  on Utah sweetvetch, 423N
Fusarium sporotrichioides, 1113N
Fusarium spp.
  distribution and frequency in association with soybean roots, 1549
  wet core rot of apple fruit, 510
Fusarium temperatum, 1252N
Fusarium tricinctum, 993N
Fusarium virguliforme, cover photo: May
Fusarium wilt
  caused by *Fusarium kyushuense* on tobacco, 424N
  caused by *Fusarium oxysporum* f. sp. *lycopersici* Race 3 on tomato, 1377N
  caused by *Fusarium oxysporum* f. sp. *palmarum* on *Washingtonia robusta*, 1511N
  on China asters, 530
  on strawberry, development of PCR primers to identify, 619
Fusarium yellows, on sugar beet, 1200
Fusicladium carpophilum, 1322
Fusicladium effusum
  disease severity assessment, 675
  vertical distribution in large pecan trees, 626
Fusicladium eriobotryae, 1331

Gaeumannomyces graminis var. *tritici*, 547
Gallego, E., 557N, 997N, 1111N, 1506N
Gallegos, L. L., 1384N
Gallegos, V., 1002N
Galli, M., 1385N
Gallindo, T., 283N
Gallotanins, 1593
Galperin, M., 292N, 692N
Gambardella, M., 996N
Gang, G.-H., 1382N
Ganzález, M. I., 379
Gao, J., 288N, 1662N
Gao, J. J., 1113N
Gao, L. L., 510
Gao, M., 1308
Gao, Z. M., 1380N
Garcia, E. N., 421N
García, H. G., 1112N
García, L. V., 991N
García, M. L., 1662N
García-Benavides, P., 694N
Garcia-Estrada, R. S., 1257N
García-Jiménez, J., 737, 1331
García-Pérez, L. M., 994N
Garcinia mangostana, 146N
Garden cress (*Lepidium sativum*), 998N
Gardner, R. G., 148N
Garibaldi, A., 145N, 288N, 292N, 424N, 844N, 848N, 1119N, 1384N, 1386N, 1660N
Garita, L. C., 1346
Garland-Campbell, K., 590, 1448
Garlic (*Allium sativum*)
  Garlic common latent virus infection, 562N
  rot caused by *Fusarium proliferatum*, 556N

rust caused by *Puccinia allii*, 285N
Garlic chives (*Allium tuberosum*), leaf blight, 147N
Garlic common latent virus (GarCLV), 562N
Garlic rust, 285N
Garrido-Cardenas, J. A., 557N, 997N, 1111N, 1506N
Gašić, K., 1504N
Gaskins, V. L., 999N
Gat, T., 1513N
Gatch, E. W., 927
Gavrilović, V., 1504N
Gehesquière, B., 1082
Gent, D. H., 1431
Geographic Information Systems (GIS), identification of *Blumeria graminis* f. sp. *tritici* oversummering regions in China, 1168
George, S., 1664N
Geosmithia morbida, 601
Geranium rust, 1660N
Gerbera jamesonii, 1382N
German, T. L., 693N
Gevens, A. J., 152N, 296, 423N, 839N
Ghadirian, H., 689N
Giant dogwood (*Cornus controversa*), 1378N
Giant goldenrod, 1120N
Giant stem nematode, on broad bean, 1005N
Gibbs, M. J., 1386N
Gibellulopsis nigrescens, 1457
Gibson, R. W., 30
Giesbrecht, M., 1511N
Gilardi, G., 292N, 848N, 1386N
Gilbertson, R. L., 692N
Gimenes-Fernandes, N., 789
Ginger (*Zingiber officinale*), rhizome rot, 1308
Girard, J.-C., 988N
Gispert, C., 1511N
Gitaitis, R. D., 556N, 1375N
Gladiolus corm rot, 284N
Gladiolus grandiflorus, leaf spot, 847N
Gladiolus rust, management with fungicides, 1491
Glen, M., 828
Gliocephalotrichum bacillisporum, 1110N
Globe artichoke (*Cynara cardunculus*), 1388N
Globisporangium ultimum, 1111N
Globodera rostochiensis, 1125n
Glomerella magna, 1383N
Glomerella septospora, 1115N
Gloxinia (*Sinningia speciosa*), 429N
Glycine max. *See* Soybean
Glycyrrhiza uralensis, 1514N
Goates, B. J., 882
Goenaga, R., 1117N
Gohil, H. L., 307
Goldberg, N. P., 838N
'Golden Delicious' winter squash, 446
Golden vicary privet (*Ligustrum* × *vicaryi*), 1113N
Golkhandan, E., 685N, 689N, 1109N, 1110N
Golnaraghi, A. R., 1259N
Golovinomyces asterum var. *solidaginis*, 1120N
Golovinomyces magnicellulatus, 1382N
Golovinomyces sp., powdery mildew on *Plantago australis*, 421N
Gomes, L. I. S., 1537
Gómez, J., 1249N
Gómez, M., 1005N
Gómez, R., 1249N
Gómez-Alpízar, L., 1005N
Gómez-Dorantes, N., 1660N
Gonçalves, A. M., 422N
Gong, H., 1497
Gonzalez, A., 938
González-Domínguez, E., 1331
Gonzalez-Elizondo, S., 431N
González-Pacheco, B. E., 1124N
Gooseberry (*Ribes uva-crispa*), 1249N
Gossen, B. D., 720
Gossypium darwinii symptomless alphasatellite (GDaSA), 1122N
Gottwald, T. R., 675, 789, 797, 1195
Gourlie, J. A., 537, 547, 590
Grabke, A., 271, 848N
Graft union death, on English walnut, 993N
Graham, J. H., 1195
Grape anthracnose, epidemiology, 222
Grapevine (*Vitis vinifera*)
  Agrobacterium vitis as causal agent of crown gall disease, 836N
  Arabis mosaic virus infection in New York State, 849N
  Botryosphaeria canker, 143N
  '*Candidatus* Phytoplasma solani' strains associated with grapevine yellows, 1505N
  characterization of species of *Diaporthe* from wood cankers, 912
  effects of preharvest fungicide, potassium sorbate, or chitosan on quality and storage decay, 307
  effects of temperature and wetness on the sporulation rate of *Phomopsis viticola*, 579
  factors associated with defoliation by *Elsinoë ampelina*, 222
  Grapevine leafroll-associated virus 7, 150N
  Hop stunt viroid and *Grapevine yellowing speckle viroid-1* infections in India, 1517N
  pathogenicity of diatrypaceous fungi, 749
  Phomopsis dieback in California, 1571
  protection of pruning wounds from infection by *Eutypa lata*, 1599
  Togninia minima perithecia on esca- and petri-diseased vines, 1247N
  trunk diseases (*see* Grapevine trunk diseases)
  wood canker caused by *Neoscytalidium dimidiatum*, 1511N
Grapevine black spot, 222
Grapevine bois noir, 1505N
Grapevine leafroll-associated viruses, 150N, 1339
Grapevine leafroll disease (GLD), 150N, 1339
Grapevine powdery mildew, 1438
Grapevine trunk diseases
  Neofusicoccum parvum associated with in Croatia, 1656N
  Phomopsis dieback, 1571
  susceptibility of *Vitis* spp. to fungal trunk pathogens, 1529
Grapevine yellowing speckle viroid-1 (GYSVd-1), 1517N
Grapevine yellows disease, 1505N
Grauke, L. J., 601
Graves, A. D., 601
Gray, S. M., 1370
Gray jujube. *See* Zizyphus jujuba
Gray leaf spot of maize, 1656N
Gray mold
  of blueberry, postharvest control, 1069
  of grape berries, effect of preharvest fungicides on, 307
  of strawberry
    fenhexamid resistance, 271
    fludioxonil resistance, 848N
    multifungicide resistance, 393
    sensitivity to cyprodinil and fludioxonil, 81
  on zucchini, 1116N
Greco, B., 1387N
Greenhouse ornamentals, host specificity and variations in aggressiveness of *Phytophthora cryptogea* and *P. drechsleri*, 74
Greenhouse vegetables
  leaf spot on cucumber caused by *Stemphylium solani*, 287N
  leaf spot on tomato caused by *Cladosporium oxysporum*, 845N
Green mold, control in citrus, 201
Green onion (*Allium fistulosu*)), 1665N
Greenshields, D., 720
Green stem disorder of soybean, 1212
Gregorio-Cipriano, M. R., 1660N
Grey alder (*Alnus incana*), 686N
Griffey, C. A., 838N
Griffin, G. J., 837N
Griffo, R., 1387N
Grisham, M. P., 426N
Groom, T., 1431
Groth-Helms, D., 1389N
Groves, R. L., 1268
Grünwald, N. J., 296, 1377N
Gu, S., 307
Gu, S. Q., 1506N
Gu, X. F., 245
Guaragna, M. A., 1389N
Guava (*Psidium guajava*), 1132
Guava wilt, 1132
Gubler, W. D., 231, 749, 1384N, 1438, 1529, 1571
Gudmestad, N. C., 608, 952
Guérin, F., 1653N
Guerrero, J., 144N, 1657N
Gugino, B. K., 296
Guillino, M. L., 145N
Gulf licaria (*Licaria trianda*), 1248N
Gullino, M. L., 288N, 292N, 424N, 844N, 848N, 1119N, 1384N, 1386N, 1660N
Gummosis, of mango, 690N
Gummy stem blight, in cucurbit rootstocks, 1018
Gundersen, B., 996N, 1381N
Guo, J., 139N
Guo, M., 1380N
Guo, R., 1339
Guo, T. X., 1383N
Guo, T.-X., 690N
Guo, X.-G., 1181
Guo, Y., 283N
Guo, Y.-S., 424N
Gupta, M., 418N
Gupta, S. K., 189
Gupta, V., 838N
Gurung, S., 62
Gustavo, R., 1515N
Gwinn, K. D., 1654N, 1655N
Gyawali, S., 62

Haber, S., 983, 1051
Haegi, A., 1385N
Haesaert, G., 410
Haider, M. S., 1122N
Hail, effects of simulated hail and subsequent fungicide applications on fruit rot in cranberry, 1207
Haj Ahmad, F., 428N
Hajihassani, A., 1470
Hale, I. L., 557N
Halleen, F., 1247N
Hamann, F. A., 995N
Hambleton, S., 1408
Hamed, K., 562N
Hamedi, A., 1259N
Hameed, U., 1122N
Hammond, J., 1389N, 1514N
Han, C. G., 1388N
Han, C. W., 1654N
Han, C. Z., 138N
Han, J., 693N
Han, K. S., 147N, 422N, 425N, 428N, 997N, 1510N, 1514N
Han, S., 1662N
Han, Z., 1657N
Hand, E. K., 1438
Handa, A., 1001N
Handoo, Z. A., 1424
Hangan, A. K., 1379N
Hanna, J. W., 1658N
Hanson, L. E., 1255N
Han transposable element, 619

Hao, J. J., 991N
Hao, M., 151N
Hao, Z. M., 1506N
Harakawa, R., 995N, 1517N
Hari, K., 1097
Haright, B., 1111N
Harmon, C. L., 1378N
Harper, S. J., 339
Harrington, T. C., 688N
Harrison, L. A., 927
Hartman, G. L., 426N, 568, 1212, 1379N, 1510N
Hartung, J. S., 1227, 1235
Harveson, R. M., 1508N
Hasiów-Jaroszewska, B., 1663N
Hassani-Mehraban, A., 1110N
Hassell, R., 1057
Haudenshield, J. S., 426N
Hausbeck, M. K., 107, 446, 1037
Hay, F. S., 1431
Hayes, L. E., 1511N
Hazelnut. *See* Corylus americana; Corylus avellana; Corylus heterophylla
He, M., 846N
He, M. J., 139N
He, W., 1288
He, X., 1288
He, Y. Y., 685N
He, Z. F., 1652N
He, Z.-F., 418N
Heath, S. M., 393
Hedysarum boreale, 423N
Hein, G. L., 21
Helianthus annuus, 838N
Hemerocallis, 921
Hennig, E., 1663N
Henríquez, J. L., 996N
Herba eupatorii, 995N
Hermann, D., 559N
Hermann, H.-W., 1122N
Herrera-Foessel, S. A., 728
Herrera-Rodríguez, G., 994N
Hershcovich, M., 1513N
Heterodera avenae
  species-specific PCR assay, 1611
  spring wheat tolerance and resistance, 590
Heterodera carotae, 333
Heterodera cruciferae, 333
Heterodera filipjevi, species-specific detection assays, 1288, 1611
Heterodera glycines, 852N
Heterodera goettingiana, 333
Heterodera schachtii, 93
Heterodera uritcae, 333
Heungens, K., 1082
Heyman, F., 461
Hibiscus cannabinus, 695N
Hibiscus mutabilis, powdery mildew, 1118N
Hibiscus sabdariffa, bacterial wilt, 1375N
Hibiscus syriacus, leaf spot, 847N
Hickory species (*Carya* spp.), susceptibility to *Geosmithia morbida,* 601
'Hicks' tobacco, 252
Hiemalis begonias, *Impatiens necrotic spot virus* infection, 291N
Highbush blueberry (*Vaccinium* spp.)
  postharvest control of gray mold, 1069
  stem blight associated with *Colletotrichum acutatum,* 422N
  stem canker caused by *Diaporthe australafricana* and *Diaporthe* spp., 1042
High-grafting, 277
High Plains Disease, 1125n
High Plains virus (HPV), 21, 1125N
Hilf, M. E., 339
Hinomyces moricola, zonate leaf spot on Japanese hop, 1117N, cover photo: August
Hirayama, Y., 619
HLB. *See* Huanglongbing
Ho, T., 1352
Hoarau, J., 989N
Hobbs, H. A., 568
Hodges, C. S., 1251N
Höfte, M., 410, 1082
Holb, I. J., 891
Holguin, C. M., 1389N
Hollaway, G. J., 977
Hollenstein, R., 1246N
Holliday, J. L., 828
Honeycutt, E., 1377N
Hong, C. F., 1132, 1253N, 1508N
Hong, C.-F., 690N
Hong, C. X., 86, 1385N
Hong, H., 1000N, 1187
Hong, J., 1301
Hong, N., 290N, 1256N
Hong, Q. C., 995N
Hong, S. H., 1117N, 1120N, 1254N
Hong, S. K., 1377N
Hoodia gordonii, 140N
Hoplolaimus magnistylus, 1389N
Hop stunt viroid, 1517N, 1662N
Hop transposable element, 619
Hora Junior, B. G., 1257N
Hornet1 transposable element, 619
Horseradish root (*Armoracia rusticana*), 453
Horsfall-Barratt category scale, 675, 797
Hostachy, B., 373, 989N
Hosta virus X (HVX), 429N
Host resistance
  age-related resistance to Phytophthora fruit rot in processing pumpkins and winter squash, 446
  screening for resistance to *Uromyces appendiculatus* in Honduras, 652
  to Verticillium wilt in selected olive cultivars, 668
  to yellow rust and leaf rust in spring wheat 'Quaiu 3,' 728
Hotchkiss, M. W., 626
Hou, L., 1322
Hoy, J. W., 426N
Hrnčić, H., 686N
Hrustić, J., 147N, 851N
Hsiang, T., 690N, 1383N
Hsieh, H. Y., 1132
Hu, B., 961
Hu, B. S., 420N
Hu, F. Y., 1659N
Hu, H., 1158
Hu, J. C., 993N
Hu, X., 1295
Hu, X. P., 1513N, 1514N
Huang, C. C., 1508N
Huang, C.-H., 1301
Huang, H. C., 1132
Huang, J., 998N
Huang, J. H., 1512N
Huang, J. S., 1508N
Huang, N., 282N
Huang, S. P., 1383N
Huang, S.-P., 690N
Huang, T. C., 835N
Huang, W., 1288
Huang, X., 138N
Huang, X.-Y., 845N, 1254N
Huang, Y. H., 1508N
Huang, Y. K., 686N
Huanglongbing (HLB)
  associated with '*Candidatus* Liberibacter asiaticus' in California, 283N
  development of real-time PCR primers and probes for detection, 1235
  diagnostic detection system, 1295
  effect of high temperature on titers in citrus and acquisition rates by *Diaphorina citri,* 1563
  management strategies in young sweet orange plantings, 789
  presymptomatic fibrous root decline in citrus and potential interaction with *Phytophthora* spp., 1195
  quantification using real-time PCR and propidium monoazide, 1158
Hubert, J. G., 1664N
Huerta-Espino, J., 728
Huggins, D., 1448
Hughes, M. E., 1103
Hulbert, S., 842N
Hulcr, J., 856
Hult, M. N., 1424
Humann, J. L., 1381N
Humulus japonicus, zonate leaf spot, 1117N, cover photo: August
Hwang, E. Y., 1376N
Hyakumachi, M., 619
Hybrid bermudagrass (*Cynodon dactylon* × *C. transvaalensis*), pink patch, 561N
Hyde, K. D., 1659N
Hydrangea, *Alfalfa mosaic virus* infection, 1258N
Hydrangea macrophylla, 1258N
Hydroxyanilide, 393
Hylocereus undatus, internal black rot, 1513N, cover photo: November

Ibarra, M. A., 1003N
Ibrahim, A. M. H., 728
IC-RT-PCR assays, 1370
Iftikhar, R., 1517N
Iglesias-Garcia, A. M., 1457
Ignjatov, M., 418N, 1504N
Ikten, C., 835N
Ilyonectria robusta, 259
Imazalil (IMZ), 201
Immunocapture–reverse transcriptase–polymerase chain reaction (IC-RT-PCR), identification of *Potato virus Y* strains, 1370
Impala transposable element, 619
Impatiens (*Impatiens walleriana*)
  downy mildew caused by *Plasmopara obducens,* 428N, 687N, 1512N
  Strawberry latent ringspot virus infection, 662
Impatiens necrotic spot virus (INSV)
  on basil, 850N
  on begonia in Bosnia and Herzegovina, 1004N
  on Hiemalis begonias, 291N
  on pepper fruit, 1124N, cover photo: August
Incense trees (*Aquilaria sinensis*), 690N
Indian mustard (*Brassica juncea*), 1383N
Inflorescence blight, on mango, 1380N
Inglis, D. A., 840N, 996N, 1381N
In silico analysis, 373
Intan Sakinah, M. A., 991N, 1110N
Internal black rot, caused by *Neoscytalidium dimidiatium* on *Hylocereus undatus* fruit, 1513N, cover photo: November
International differential system, analysis of rice blast fungus, 491
Ioos, R., 144N
Ipomoea batatas. See Sweet potato
Ipomoea setosa, 30
Iranian bread wheat germplasm, seedling stage resistance to *Puccinia graminis* f. sp. *tritici* race Ug99, 387
Irey, M. S., 1195
Iris yellow spot virus (IYSV), 430N, 1517N, 1665N
Irrigation water, eradication of plant pathogens in forest nursery irrigation water, 780
Isopyrazam, 118
Italian dandelion, 837N
Ivanović, M. S., 145N, 1659N
Ivanović, Ž., 418N, 1504N
Ivors, K. L., 86

Jackson, C. A., 590
Jackson, E. W., 882

Jacob, C. J., 141N
Jacobi, J., 835N
Jacobs, J. L., 1387N
Jacobsen, E. E., 537, 547
Jain, R., 849N, 1097
James, D., 44
Jamshidi, K., 694N
Jang, K. S., 1593
Janisiewicz, W. J., 999N
Janousek, C. N., 1438
Japanese andromeda. *See* Pieris japonica
Japanese hop (*Humulus japonicus*), zonate leaf spot, 1117N, cover photo: August
Japanese knotweed (*Fallopia japonica*), 146N
Japanese pear (*Pyrus pyrifolia*), frosty mildew, 147N
Japanese pepper. *See* Zanthoxylum piperitum
Japanese plum (*Prunus salicina*)
  bacterial spot caused by *Xanthomonas arboricaola* pv. *pruni*, 835N
  Hop stunt viriod in Greece, 1662N
Japanese pricklyash. *See* Zanthoxylum piperitum
Japanese silver leaf. *See* Farfugium japonicum
Jaspers, M. V., 1113N
Jawhari, M., 1516N
Jeffers, S. N., 86, 921, 1491
Jeon, Y. H., 1114N, 1115N
Jerkovi| -Mujki| , A., 150N
Ji, C., 843N
Ji, G. H., 282N
Ji, P., 845N, 1116N, 1384N
Ji, Y. H., 430N
Ji, Z. R., 845N
Ji, Z.-R., 422N
Jia, H., 1506N
Jia, X. Z., 426N
Jia, Y., 113, 491
Jia, Z. Z., 151N
Jiang, D. M., 561N
Jiang, H. H., 991N
Jiang, J. J., 1000N
Jiang, J. X., 1115N
Jiang, L., 510
Jiang, N., 141N, 1659N
Jiang, Q. W., 1255N
Jiang, S. X., 1126N
Jiao, X., 1497
Jijakli, M. H., 693N
Jílková, B., 1249N
Jiménez-Gasco, M. M., 436
Jin, S. L., 379
Jin, Y., 479, 882
Joa, J. H., 1514N
Jofre-Garfias, A. E., 1002N
John, D., 838N
Johnson, C. S., 1221
Johnson, D. A., 183, 842N
Johnson, E. G., 1195
Johnson, K. B., 402, 1585
Johnson, S., 840N
Johnson, S. B., 296
Johnsongrass mosaic virus (JGMV), 1003N
Jones, E. E., 1113N
Jones, J. B., 1301
Jones, M., 1125N
Jones, R. A. C., 765
Jones, S. A., 828
Jones, S. S., 1626
Jordan, R., 1389N
Jošić, D., 418N, 420N, 1653N
Jović, J., 686N
Józsa, A., 152N
Judelson, H., 296
Juglans ailantifolia, 601
Juglans californica, 601
Juglans cinerea, 601
Juglans hindsii, 601
Juglans major, 601
Juglans mandshurica, 601
Juglans microcarpa, 601
Juglans nigra, 601
Juglans regia
  graft union death, 993N
  shallow-bark canker, 1504N
Juglans sinensis, branch dieback, 1114N
Juhasz, C. C., 1653N
Jurgens, A. G., 1484
Jurick, W. M., II, 999N
Jurković, D., 1002N
Justesen, A. F., 1281
Juszczak, S., 1389N
Jute (*Corchorus olitorius*), bacterial leaf spot, 1109N

Kaboré, A., 1664N
Kader, J., 143N
Kadir, J. B., 287N, 687N, 689N, 841N, 1507N
Kageyama, K., 619
Kale, 131
Kalia, P., 849N
Kaligreen (potassium bicarbonate), 196
Kalinowska, E., 1515N
Kaliterna, J., 1656N
Kamaruzaman, S., 685N, 1109N
Kamenidou, S., 1097
Kandel, S. L., 590, 1448
Kang, D.-W., 1000N
Kang, Y. B., 1114N
Kang, Z. S., 379
Kaponi, M. S., 1662N
Karačić, A., 1665N
Karaoglanidis, G. S., 118
Karasev, A. V., 430N, 1370
Karimojeni, H., 694N
Karssen, G., 152N
Kasson, M. T., 837N, 999N
Kasugamycin, 1484
'Katy' rice, 491
Kehoe, M. A., 765
Keinath, A. P., 131, 1018, 1057
Keith, L. M., 146N, 990N
Kenaf (*Hibiscus cannabinus*), 695N
Kennelly, M., 1075
Kenyon, L., 291N
Khadgi, A., 1352
Khan, A. J., 1396
Khangura, R., 1660N
Khankhum, S., 561N
Khosroshahi, T. S., 1259N
Kianfar, N., 1005N
Kigoxigakis, E. K., 1250N
Kim, B. S., 428N, 1383N
Kim, C. J., 1385N
Kim, D. S., 1382N
Kim, J., 559N, 1000N, 1118N
Kim, J.-C., 1593
Kim, J. H., 998N
Kim, J. Y., 997N, 1383N, 1510N
Kim, S. H., 1251N
Kim, Y. H., 1378N
Kim, Y. K., 1257N
Kim, Y. S., 1114N, 1115N
Kipgen, T. L., 284N
Kirk, W. W., 1255N, 1655N
Kirkpatrick, B. C., 277
Kitajima, E. W., 1261N, 1346, 1517N
Kiwifruit (*Actinidia* spp.)
  fruit stem anthracnose caused by *Glomerella septospora*, 1115N
  multiplex PCR assay for the detection of *Pseudomonas syringae* pv. *actinidiae*, 472
  post-harvest fruit rot associated with *Diaporthe ambigua*, 843N
Kloepper, J. W., 967
Klopfenstein, N. B., 1379N, 1658N
Knot disease, on sweet olive, 419N, cover photo: March
Ko, M., 1244N
Koenning, S. R., 1262N
Koike, S. T., 315, 1250N
Kojic, S., 1653N
Kok, L. T., 837N
Kolmer, J. A., 1103, 1408
Kong, L., 1661N
Kong, P., 369
Konjac mosaic virus (KoMV), 1517N
Konkol, J., 1248N
Korean pear, 147N
'Koroneiki' olive, 668
Kouadio, K. T., 693N
Kousik, C. S., 1057, 1137, 1149
Kovačić, D., 1124N
Koyda, M., 379
Krarup, C., 141N
Kraus, J., 517
Kresoxim-methyl, 196
Krstić, B., 147N, 150N, 430N, 850N, 851N, 1002N, 1004N, 1124N
Krstić, O, 686N
Krueger, W. H., 231
Kudzu (*Pueraria montana*)
  Kudzu mosaic virus on, 148N
  Tobacco ringspot virus infection, 561N, cover photo: April
Kudzu mosaic virus (KuMV), 148N
Kuehneola uredinis, 1115N
Kumagai, L. B., 283N
Kumar, A., 1251N
Kumari, S. G., 849N
Kura clover (*Trifolium ambiguum*), 142N
Kuzmanovic, S. T., 1653N
Kwak, Y.-S., 1382N
Kwon, J.-H., 559N, 1000N, 1118N
Kyaschenko, J., 1281
Kyriakopoulou, P. E., 1662N

La, Y. J., 843N
Lablab purpureus, 290N
Lagenaria siceraria. *See* Bottle gourd
Lakhdar, B., 1506N
Lambev, H., 1258N
Lamborn, J., 1389N
Lamium maculatum (spotted dead-nettle), 150N
LaMondia, J. A., 436
Lamprecht, S. C., 1605
Lan, G. B., 1652N
Lance nematode, on corn, soybean, and cotton, 1389N
Lande, T., 695N
Langham, M. A. C., 21
Langsat (*Lansium domesticum*), corky bark disease, 990N
Langston, D. B., 556N, 1375N
Lanoiselet, V., 1256N
Lansium domesticum, 990N
Lanzoni, C., 1258N
Larbre, F., 988N
Largehead Atractylodes Rhizome (LAR), 139N
Large patch disease of zoysiagrass, 1075
Lartey, R. T., 143N
Lasiodiplodia citricola, 993N
Lasiodiplodia spp., population genetic analysis, 1363
Lasiodiplodia theobromae
  associated with stem canker of almond, 994N
  dieback of *Aquilaria sinensis*, 690N
  gummosis of mango trees, 690N
  inflorescence blight on mango, 1380N
  olive twig and branch dieback, 231
  wood infection of *Vitis* spp., 1529
Lastrea, L., 1109N
Late blight of potato and tomato
  caused by *Phytophthora infestans*
    clonal lineage US-22, 423N
    clonal lineage US-23, 839N
    clonal lineage US-24, 152N

causes and results of the pandemic of 2009, 296
phenotypic characterization of recent clonal lineages, 873
Lati, R., 695N
Latiffah, Z., 991N, 1110N
Latin, R., 1620
Latoni-Brailowsky, E. I., 1117N
Latorre, B. A., 141N, 143N, 485, 1042, 1069
Latorre, M., 772
Laurel oak (*Quercus laurifolia*), 151N
Laurel wilt
caused by *Raffaelea lauricola* on sassafras, 688N
Gulf licaria as a suscept of, 1248N
Lava Kumar, P., 290N
Lavandula × *intermedia*, 1002N
Lavandula stoechas, root and collar rot, 1091
Lavender (*Lavandula angustifolia*), root rot and lower stem necrosis, 152N
Lawrence, K. S., 967
Lawson, L. E. V., 1661N
Lazarotto, M., 995N
Lazreg, F., 557N, 997N, 1111N, 1506N
Leaf beet (*Beta vulgaris* subsp. *vulgaris*), 292N
Leaf blight
caused by *Alternaria petroselini* on Chinese hickory, 1253N
caused by *Calonectria pseudonaviculata* on *Buxus sempervirens*, 1121N
caused by *Fusarium equiseti* on *Cyperus iria*, 838N
caused by *Septoria allii* on garlic chives, 147N
Leaf litter density, effect of sanitation treatments on in organic sour cherry orchards, 891
Leaf rust of wheat
physiologic specialization, 1103
resistance in 'Quaiu 3' spring wheat, 728
Leaf spot
on bottlebrush, control with fungicides, 37
caused by *Alternaria alternata*
on banana, 1116N
on *Withania coagulans*, 420N
caused by *Alternaria nobilis* on *Saponaria officinalis*, 424N
caused by *Alternaria porri* on velvet bean, 141N
caused by *Alternaria tenuissiima* on *Farfugium japonicum*, 1382N
caused by *Bipolaris oryzae* on switchgrass, 1654N
caused by *Chaetomella* sp. on *Sansevieria trifasciata*, 992N
caused by *Cladosporium oxysporum* on greenhouse tomato, 845N
caused by *Colletotrichum gloeosporioides* on Chinese bean tree, 138N
caused by *Colletotrichum spaethianum* on *Peucedanum praeruptorum*, 1380N
caused by *Corynespora cassiicola* (*see* Corynespora cassiicola)
caused by *Curvularia gladioli* on *Gladiolus grandiflorus*, 847N
caused by *Fusarium acuminatum* on onion, 1384N
caused by *Glomerella magna* on *Lobelia chinensis*, 1383N
caused by *Nigrospora oryzae* on *Aloe vera*, 1256N
caused by *Paraconiothyrium variablie* on *Phoenix theophrasti*, 1250N
caused by *Phacellium veronicae* on *Veronica sibirica*, 1662N
caused by *Phoma novae-verbascicola* on black mullein, 1660N
caused by *Phyllosticta coryli* on hazel leaves, 1254N
caused by *Phyllosticta yuccae* on *Yucca filamentosa*, 1257N
caused by *Pithomyces chartarum* on switchgrass, 1655N
caused by *Plectosphaerella cucumerina* on field grown endive, 848N
caused by *Pseudocercospora subsessilis* on *Melia azedarach*, 993N
caused by *Pseudomonas syringae* pv. *coriandricola* on parsley, 988N
caused by *Stemphylium solani*
on eggplant, 689N
on greenhouse cucumber, 287N
on lettuce, 689N
See also Bacterial leaf spot
Leafy lespedeza (*Lespedeza crytobotrya*), 287N
Leandro, L. F., 284N, 1557
Lecoq, H., 1515N
Leduc, A., 1653N
Lee, C. K., 1121N, 1512N
Lee, F. N., 113, 491
Lee, H. B., 287N, 427N, 841N, 842N, 1385N
Lee, H. W., 841N
Lee, J. H., 1382N
Lee, J. Y., 1376N
Lee, L. M., 291N
Lee, S. C., 147N
Lee, S. G., 1114N, 1115N
Lee, S. H., 1121N, 1512N
Lee, S. K., 1118N
Lee, S.-W., 1593
Lee, Y. K., 1377N
Lee, Y. W., 1378N
Lefebvre, A., 354
Leisova-Svobodova, L., 1261N, 1316
Lelis, D. T., 1255N
Lemmetty, A., 1376N
Lemon (*Citrus limon*)
fruit infection by *Xanthomonas citri* pv. *citri* sequence type 1, pathotype A, 836N
Fusarium rot caused by *Fusarium oxysporum*, 989N
Lenc, L., 142N
León, M., 737
Leonberger, A. J., 635
Leonurus sibiricus, 289N
Leopard plant. *See* Farfugium japonicum
Lepidium sativum, 998N
Lepoivre, P., 693N
Leptosphaeria biglobosa, 1113N
Leptosphaeria maculans, 842N
Leslie, C. A., 601
Lespedeza crytobotrya, 287N
Letham, D., 1386N
Lettuce (*Lactuca sativa*)
leaf spot caused by *Stemphylium solani*, 689N
lettuce big-vein disease, 700, cover photo: June
Lettuce mosaic virus infection in India, 849N
Verticillium wilt caused by *Verticillium tricorpus*, 996N
Lettuce big-vein associated virus (LBVaV), 700
Lettuce big-vein disease, 700, cover photo: June
Lettuce mosaic virus (LMV), 849N
Leuconostoc mesenteroides, 93
Leuzea carthamoides, 1258N
Leveillula taurica, 848N
Lévesque, C. A., 4
LeVesque, C. S., 283N
Levi, A., 1057
Levy, L., 44
Lewis, K. J., 556N
Lewis, R., 252
Li, B., 1168
Li, C., 1115N
Li, C. W., 995N
Li, D. W., 1388N
Li, D. X., 1509N
Li, G., 430N
Li, G. Q., 1256N
Li, G. Y., 138N
Li, H. N., 1000N
Li, J., 845N
Li, M.-J., 1339
Li, P. P., 1506N
Li, Q. L., 1383N
Li, Q.-L., 690N
Li, R., 148N
Li, S., 1116N
Li, S. B., 1514N
Li, S. F., 561N
Li, S. H., 1506N
Li, W. F., 686N
Li, W.-H., 424N
Li, Y., 1662N
Li, Y. L., 992N
Li, Y. Y., 993N
Li, Z.-B., 431N
Lian, S., 430N
Liang, C., 1382N
Liang, J., 426N, 501, 846N
Liang, Y. M., 283N
Liao, C. L., 139N
Liao, J. L., 1262N
Liao, Y. M., 1001N
Liarzi, O., 1513N
Licaria trianda, 1248N
Liefting, L. W., 1122N
Ligoxigakis, E. K., 285N, 286N, 1509N
Ligustrum × *vicaryi*, 1113N
Lily blight and wilt, 993N
Lily of China. *See* Rohdea japonica
Lima, N. B., 1248N
Lima bean (*Phaseolus lunatus*)
bean rust resistance, 652
pod and stem blight caused by *Diaporthe phaseolorum* var. *sojae*, 287N
Lime (*Citrus aurantifolia*)
fruit infection by *Xanthomonas citri* pv. *citri* sequence type 1, pathotype A, 836N
postharvest rot caused by *Penicillium digitatum*, cover photo: March
Lime sulfur, 402
Limonomyces roseipellis, 561N
Lin, B. R., 282N, 560N
Lin, C.-H., 1375N
Lin, S. H., 1657N
Lin, X. M., 139N
Lin, Y. Y., 1001N
Ling, J. F., 1508N
Ling, K.-S., 148N, 1057
Liquorice root, 1514N
Little Cherry Disease (LCD), 851N
Little cherry virus 2 (LChV2), 851N, cover photo: June
Liu, D. Q., 840N
Liu, F., 141N, 840N, 961
Liu, F. Q., 420N
Liu, G., 113
Liu, G. D., 561N
Liu, H. L., 835N, 1512N
Liu, J., 151N, 1256N
Liu, K.-J., 1656N
Liu, L. H., 1659N
Liu, M., 1408
Liu, M.-H., 1339
Liu, M. M., 245
Liu, N., 1506N
Liu, P. P., 1001N
Liu, W., 141N, 1659N
Liu, X., 145N, 645, 1063, 1497
Liu, X. L., 138N, 559N
Liu, X.-M., 1339
Liu, Y. H., 1252N
Liu, Y. J., 1513N
Liu, Z., 1382N
Liu, Z. H., 1249N
Liu, Z.-H., 845N, 1254N
"Liujin." *See* Zanthoxylum piperitum

Lob, S., 1113N
Lobelia chinensis, 1383N
Lockhart, B., 1258N, 1389N
Lolas, M., 485
Loli[illegible], B., 1665N
Lombard, L., 1121N
Long, H., 1288
Longoria-Espinoza, R. M., 994N
Loop-mediated isothermal amplification (LAMP) assay, for the detection of *Rhodococcus fascians,* 517
Lopes, S. A., 1563
Lopes, U. P., 1255N
Lopez, P., 687N
Lopez, S., 992N
López-Escudero, F. J., 668
López Orona, C. A., 1112N
López-Robles, J., 694N
Lops, F., 846N
Loquat (*Eriobotrya japonica*)
  branch blight caused by *Pestalotiopsis sydowiana,* 990N
  environmental factors affecting *Fusicladium eriobotryae* infection, 1331
  fruit rot caused by *Diplodia seriata,* 421N
  Pestalotiopsis theae infection in China, 558N
Loquat scab, 1331
Lorbeer, J. W., 1524
Loropetalum chinense, 835N
Loschiavo, A. P., 1599
Louws, F. J., 1251N
Lr42 resistance gene, 728
Lr46/Yr29 resistance gene, 728
Lu, L., 1295
Lu, Q., 426N, 846N
Lu, S. H., 1509N
Lu, W., 992N
Lu, W. J., 686N, 1513N
Lu, X. H., 991N
Lu, Z. Q., 1514N
Luffa cylindrica
  cotton leaf curl disease, 1122N
  fruit rot caused by *Stagonosporiopsis cucurbitacearum,* 1120N
Luiz, F. Q. B. F., 1563
Luo, C. X., 1256N
Luo, F.-F., 418N
Luo, J., 151N
Luo, Y., 501, 1168, 1322
Luongo, L., 1385N
Lupinus mutabilis, 819
Lutomirska, B., 1245N
Lv, M.-F., 1181
Lycopersicon esculentum. See Tomato
Lynch, S. C., 938, 1025

'M202' rice, 491
Ma, H. Q., 1252N
Ma, Z., 501
Maccarone, L. D., 700
MacFarlane, S., 168
Machado, A. C. Z., 431N
Machado, S., 537, 547
Maciel, C. G., 995N
Maciel-Zambolim, E., 1255N
Mackay, J. F., 708
Mackie, J., 1386N
MacLean, D. D., 213
MacLeod, W. J., 1660N
Macrophomina phaseolina
  charcoal rot of cantaloupe, 141N
  charcoal rot of soybean, 1506N
  crown rot of strawberry, 996N
  infection of sweet potato prior to harvest, 1636
Madariaga, R., 379
Madden, L. V., 579
Madishetty, K., 283N
Maes, M., 282N, 1082
Maffia, L. A., 780, 1116N, 1537
Magnano di san Lio, G., 1091
Magnaporthe grisea, 189
Magnaporthe oryzae, 491
Mahapatra, B. S., 1109N
Mahmodi, F., 287N, 687N, 689N, 841N, 1507N
Mahonia aquifolium, 839N
Mahto, B., 62
Maize. *See* Corn
Maize rayado fino virus (MRFV) resistance, 1418
Maize red stripe virus (MRSV), 1125n
Majd Taheri, Z., 1005N
Maldonado-Mendoza, I. E., 994N
Mallik, I., 608
Malone, M. A., 999N
Malus domestica. See Apple
Mamuya, I., 557N
Mandipropamid, 107
Mango (*Mangifera indica*)
  anthracnose caused by *Colletotrichum karstii,* 1248N
  association between *Ceratocystis fimbriata* and mango wilt, 1116N
  bacterial black spot caused by *Xanthomonas citri* pv. *mangiferaeindicae,* 1244N
  gummosis caused by *Lasiodiplodia theobromae,* 690N
  inflorescence blight caused by *Lasiodiplodia theobromae,* 1380N
  population genetic analysis of *Lasiodiplodia* spp., 1363
  powdery mildew caused by *Pseudoidium anacardii,* 994N
  rachis necrosis caused by *Neofusicoccum parvum,* 1381N
Mango malformation disease (MMD), 427N
Mangosteen (*Garcinia mangostana*), 146N
Mango wilt, 1116N
Man in't Veld, W. A., 1091
Manjunatha, S. V., 189
Manninger, K., 379
Mansilla Vázquez, J. P., 1252N
Mansour, M. F., 307
'Manzanilla de Sevilla' olive, 668
Marais, A., 1124N
Maral root (*Leuzea carthamoides*), 1258N
'Marandú' *Brachiaria brizantha,* 1772
Marasmiellus palmivorus, 143N
Marek, S. M., 259
Margenthaler, E., 1301
Margosan, D. A., 307
Mari, M., 689N
Markakis, E. A., 285N, 286N, 287N, 1250N, 1509N
Markoglou, A. N., 118
Marois, J., 1379N, 1664N
Marques, M. W., 1248N
Marquez-Zequera, I., 1257N
Marra, R. E., 436
Marshall, J. M., 590
Martin, F. N., 4
Martin, R. R., 168, 1003N, 1358
Martin, S. B., 852N
Martin, T. J., 983, 1051
Martínez, A. R., 1112N
Martínez, C. V., 989N
Martínez-Álvarez, J. C., 994N
Martínez-Valenzuela, C., 994N
Martini, P., 145N, 689N, 1091
Martins, E. C., 1563
Massola Junior, N. S., 1652N
Matheron, M. E., 196
Mathiasen, R., 431N
Matny, O. N., 558N
Matos, L. A., 339
Matsumoto, T. K., 146N, 990N
Mattei, D., 431N
Mavrodieva, V., 44
Maymon, M., 427N
Mayorquin, J. S., 897, 1025
Mazzaglia, A., 472
McCarthy, M., 1511N
McClung, A., 113
McClure, M. A., 1424
McCollum, T. G., 1137
McCorkle, K., 252
McCue, K. F., 1245N, 1375N, 1376N, 1654N
McDonald, B. A., 1511N
McDonald, M. R., 720, 1248N
McDonald, V., 897, 1580
McGovern, R. J., 530
McGrath, M. T., 296
McKay, A. C., 977
McKemy, J. M., 139N, 844N
McKenna, J., 601
McLane, H., 1663N
McLeod, A., 296, 1605
McManus, P. S., 1207
McMillan, M., 131
McQuate, G. T., 990N
Medina, R., 992N
Mefenoxam
  sensitivity of *Phytophthora* spp. associated with ornamentals, 86
  soybean seed treatments, 807
Mefenoxam resistance, in *Peronospora belbahrii,* 692N
Mehlenbacher, S. A., 813
Mehra, L. K., 213
Mekuria, T. A., 851N
Melia azedarach, 993N
Meloidogyne arenaria, 1518N
Meloidogyne artiellia, 152N
Meloidogyne chitwoodi, 1424
Meloidogyne enterolobii, 1262N
Meloidogyne ethiopica, 1262N
Meloidogyne fallax, 1424
Meloidogyne incognita, 694N
Meloidogyne inornata, 431N
Meloidogyne marylandi, 1005N
Meloidogyne minor, 1424
Meloidogyne partityla, 151N
Melon
  Cucumber mosaic virus in Bosnia and Herzegovina, 1124N
  Cucurbit chlorotic yellows virus infection, 1005N
  See also Cucumis melo
Menard, R. D., 688N
Mendelssohn, I. A., 436
Mendonça, H. L., 1120N
Meng, B., 291N
Meng, J. R., 1001N
Mennan, S., 1262N
Mensi, I., 988N
Mentha spicata, Sclerotinia blight, 1384N
Menzel, W., 562N, 1005N
Meon, S., 1110N
Merlington, A., 1655N
Mert, Z., 379
Mesquita de Macedo, D., 496
Metalaxyl, 807
Metam sodium, 530
Metconazole
  effect on avocado branch canker, 897
  residual efficacy for treating brown patch on creeping bentgrass, 1620
Methyl benzimidazole carbamate (MBC) resistance, in field strains of *Monilina furcticola,* 1063
Methyl bromide, 530
Mexican marigold (*Tagetes erecta*), damping off, 1251N
Mexican sunflower (*Tithonia rotundifolia*), white mold, 1250N
Meyer, M. D., 107, 446
Miao, H., 245, 1125N

Miao, J. H., 141N, 1659N
Miao, Q., 1123N
Michailides, T. J., 993N, 994N
Michel, V. V., 1246N
Michereff, S. J., 140N, 737, 1248N, 1659N
Microbial Rosetta Stone (MRS) Central database, 1097
Microthiol Disperss, 196
Mihajlovic, M., 147N
Mihić Salapura, J., 430N, 1004N
Milanesi, P. M., 995N
Miles, C., 840N, 996N
Miles, C. A., 1381N
Miles, J. W., 772
Miles, L. A., 1657N
Miles, T. D., 1655N, 1657N
Milicevic, T., 1656N
Miller, G., 1057
Miller, J. S., 952
Miller, M. L., 517
Miller, S., 292N
Miller, S. A., 988N
Milojević, K., 150N, 850N, 1004N
Milošević, D., 1004N
Mimee, B., 292N
Mimosa (*Acacia dealbata*), root and stem rot, 688N
Minaar-Ontong, A., 140N
Mira, J. L., 1505N
Mirabolfathy, M., 1121N
Miraforia lettuce big-vein virus (MLBVV), 700
Mitkowski, N., 289N
Mitrović, M., 686N
Mizubuti, E. S. G., 1537
Mliki, A., 836N
Mmbaga, M. T., 86
Mo, J. Y., 1383N
Mo, J.-Y., 690N
Mock, R., 44
Mohamed, M. E., 562N
Mohammadi, M., 387
Mohapatra, K. P., 284N
Moldy core, of apple fruit, 510
Mollaei, S. N., 1111N
Mollov, D., 285N, 1258N, 1389N
Molnar, T. J., 813
'Mona' mobile element, 645
Monilia polystroma, 145N
Monilia yunnanensis, brown rot on *Crataegus pinnatifida* var. *major*, 1249N, cover photo: September
Monilinia fructicola
  brown rot
    on apple, 689N
    on nectarine, 147N
    on peach in China, 1255N
    on sweet cherry, 145N
  characterization of strains resistant to both propiconazole and boscalid, 645
  isolation of strains resistant to both MBC and DMI fungicides, 1063
Monosporascus cannonballus, 737
Monosporascus eutypoides, 737
Monosporascus root rot and vine decline, 737
Montalva, C., 1113N
Montesino, L. H., 789
Montesinos-Herrero, C., 286N, 421N, 691N, 846N
Morais, M. A., Jr., 1248N
Moral, J., 1549
Moreau, A., 989N
Morgan, D., 994N
Morgan, D. P., 993N
Morgounov, A., 379
Morinda citrifolia, 1518N
Moriones, E., 1261N
Morisette-Thomas, V., 222
Morishima, M., 619
Morus alba, *Tospovirus* infection, 1001N, cover photo: July
Mostert, L., 1247N
Mounteer, A. H., 780
Moya-Elizondo, E. A., 1113N
Moyer, J. W., 30
Moyer, M., 988N
Mucuna pruriens (velvet bean)
  leaf spot caused by *Alternaria porri*, 141N
  Rhizoctonia solani AG 1-IB on, 284N
Mueller, D., 693N
'Mulato II' *Brachiaria* hybrid, 772
Mulberry (*Morus alba*), *Tospovirus* infection, 1001N, cover photo: July
Mulberry vein banding virus (MuVBV), 1001N, cover photo: July
Multifungicide resistance, in *Botrytis cinerea* isolates from strawberry fields, 393
Multiplex IC-RT-PCR assays, identification of *Potato virus Y* strains, 1370
Multiplex polymerase chain reaction assay, detection of *Pseudomonas syringae* pv. *actinidiae*, 472
Mun, H. Y., 841N, 1385N
Munaut, F., 1252N
Mundt, C. C., 1511N
Muniz, M. F. B., 995N
Munkvold, G. P., 284N, 1557
Muñoz, M. L., 989N
Munyaneza, J. E., 1235, 1245N, 1375N, 1376N, 1654N
Murray, T. D., 346
Murta, H. M., 1116N
Musa spp., *Banana bunchy top virus* infection, 290N
Musser, F. R., 53
Mustafayev, E. S., 849N
Mustard greens, 131
Mwanga, R. O. M., 30
Mycopappus alni, 147N
Mycosphaerella musicola, 1537
Myers, K., 296, 873
Myrothecium leaf spot, 1253N
Myrothecium roridum, 1253N
"Myrtle rust," 828
Myung, I.-S., 1376N
Myzus persicae, 53

Na, F., 897
Naderali, N., 1504N
Naegele, R. P., 1037
Nagaraja, H., 149N
Nagata, T., 1003N
Nagy, Z. Á., 152N
Nalanthamala psidii, 1132
Nalanthamala vermoesenii, 285N
Nan, Z. B., 561N
Nanayakkara, U., 641
Nascimento, R. J., 1659N
Nasehi, A., 287N, 687N, 689N, 841N, 1109N, 1110N, 1507N
Nasr Esfahani, M., 689N
Natsuaki, K. T., 290N
Navarro, N., 1549
Navas-Castillo, J., 1261N
Nazari, K., 996N
Nazerian, E., 685N, 1109N, 1110N
Nearest percent estimates (NPEs), estimating disease severity of pecan scab, 675, 797
Nectarine (*Prunus persica*), brown rot, 147N
Negi, S., 44
Nejat, N., 1504N
Nelson, E. V., 1658N
Neodeightonia phoenicum, 286N
Neofabraea alba
  bull's eye rot of apple, 485
  fruit spot on olive, 1384N
Neofabraea malicorticis, 485
Neofabraea perennans, 485
Neofusicoccum australe
  associated with canker and dieback of *Quercus robur*, 560N
  Botryosphaeria canker of grapevine, 143N
  branch dieback on avocado, 842N
  canker disease on blueberry bushes, 1112N
  dieback of *Quercus robur*, 560N
  effect of fungicide application in the management of avocado branch canker, 897
Neofusicoccum luteum
  dieback of *Quercus robur*, 560N
  effect of fungicide in the management of avocado branch canker, 897
  olive twig and branch dieback, 231
  stem-end rot of avocado, 1580
Neofusicoccum mediterraneum, 231
Neofusicoccum parvum
  associated with grapevine trunk diseases in Croatia, 1656N
  branch dieback of walnut, 1114N
  canker disease on blueberry bushes, 1112N
  effect of fungicide application in the management of avocado branch canker, 897
  rachis necrosis of mango, 1381N
  stem-end rot of avocado, 1580
  susceptibility of cultivated and wild *Vitis* spp. to, 1529
Neofusicoccum ribis, 999N
Neofusicoccum vitifusiforme, 231
Neoscytalidium dimidiatum
  death of graft union on English walnut, 993N
  internal black rot on *Hylocereus undatus* fruit, 1513N, cover photo: November
  wood canker on grapevine, 1511N
Nephelium lappaceum. *See* Rambutan
'NePlus' almond, 277
Nerine yellow stripe virus (NeYSV), 1389N
Nested quantitative real-time PCR assay, detection of *Phytophthora cinnamomi* in avocado, 1012
Net blotch of barley, 143N
Newcomb, M., 882
New Zealand flax (*Phormium colensoi*), 1115N
New Zealand spinach (*Tetragonia tetragonioides*), 145N
Ngachan, S. V., 284N
Nguyen, T., 601
Nhandirobas. *See* Fevillea trilobata
Nicolić, D., 850N
Nicolini, C., 1003N
Nicotiana tabacum. *See* Tobacco
Nie, X., 641
Nigrospora oryzae, 1256N
Nikolić, D., 150N
Ning, P., 690N, 1383N
Nischwitz, C., 1424
Nitrogen fertilization
  effect of fertilization timing on large patch disease of zoysiagrass, 1075
  effect on susceptibility to Banana Xanthomonas wilt, 123
Niu, X. Q., 1654N
Njau, P., 882
Nogueira, I., 692N
Noni (*Morinda citrifolia*), 1518N
Nonpathogenic *Phytophthora*, suppression of Pythium and Phytophthora damping-off in rooibos, 1601
Norman, D., 426N, 1301
Nut trees, etiology of canker disease in cold-stored seedlings, 259

Oak anthracnose, 1121N
Oard, J. H., 113
Obasa, K., 1075
Obradović, A., 1504N
Ochoa, J., 1377N
Ocimum basilicum. *See* Basil

Oculimacula acuformis, 346
Oculimacula yallundae, 346
Odeh, W., 428N
O'Donnell, K., 142N
Oduro, K .A., 1661N
Ohelo (*Vaccinium reticulatum*), 990N
Oilseed rape (*Brassica napus*), black rot, 418N
Okra (*Abelmoschus esculentus*)
Bhendi yellow vein mosaic virus infection, 291N, cover photo: February
damping-off disease caused by *Phytophthora nicotianae*, 558N
Okubara, P. A., 4, 757, 927, 1611
Olive (*Olea europaea*)
fruit spot caused by *Neofabraea alba*, 1384N
resistance to Verticillium wilt, 668
Spilocaea oleagina infection in Spain, 1549
twig and branch dieback, 231
Olive, J., 835N
Olivera, P. D., 479
Olive scab, 1549
Olpidium virulentus, 700
Olson, H. A., 74, 86, 1385N
Omp protein, 1295
O'Neal, E. S., 999N
O'Neill, N., 315
Ong, K., 1301, 1511N
Onion (*Allium cepa*)
infection of leaves by *Pantoea ananatis* leads to bulb infection, 1524
Iris yellow spot virus, 430N, 1517N
leaf spot caused by *Fusarium acuminatum*, 1384N
rot caused by *Fusarium proliferatum*, 556N
stunting caused by *Rhizoctonia* spp. in Oregon and Washington, 1626
Orange rust, in sugarcane, 426N
Orchardgrass (*Dactylis glomerata*), 323
Oregano (*Origanum vulgare*), 1119N
Oregon grape (*Mahonia aquifolium*), 839N
Organic pome fruit, evaluation of non-antibiotic strategies for fire blight control, 402
Organic sour cherry orchards, effect of sanitation treatments on leaf litter density and leaf spot incidence, 891
Oriental white oak (*Quercus aliena*), 1121N
Origanum vulgare, 1119N
Ornamentals
diversity and mefenoxam sensitivity of *Phytophthora* spp. associated with, 86
See also Greenhouse ornamentals
Orobanche purpurea, 694N
Ortiz-Castellanos, M. L., 1002N
Ortiz-Meza, J. A., 1257N
Ortu, G., 292N, 848N, 1386N
Osborne, L. E., 21
Otto, K., 1200
Ouedraogo, L., 1653N
'Ouyen' spring wheat, 590
Oveisi, M., 694N
Ownley, B. H., 1654N, 1655N
Oxytetracycline, 1484
Ozturk, A. Y., 1244N

Padlock-probe-based assay, for *Acidovorax citrulli* in cucurbit seed, 961
Paduch-Cichal, E., 1515N
Paecilomyces lilacinus 251, 967
Paley, K., 142N
Palm, M. E., 146N
Palma, F., 842N
Palmateer, A. J., 687N
Palmer, C. L., 1491
Palmero, D., 1112N
Palm rot, of *Phoenix* spp., 286N
Palomares-Rius, J. E., 333
Palou, L., 286N, 421N, 691N, 846N
Pan, H. Q., 993N
Pan, R., 843N
Pan, Y. M., 1380N
Pan, Z. B., 1383N
Pan, Z.-B., 690N
Panax notoginseng, 685N
Pane, A., 688N, 1091
Paneer doddi. *See* Withania coagulans
Panella, L. W., 1175
Panicum antidotale, cover photo: January
Panicum virgatum. See Switchgrass
Panthee, D. R., 148N
Pantoea agglomerans, 402
Pantoea ananatis, 1524
Papaioannou, I. A., 285N, 286N, 1250N, 1509N
Papaya (*Carica papaya*)
anthracnose caused by *Colletotrichum brevisporum* in Brazil, 1659N
powdery mildew caused by *Podosphaera xanthii*, 1514N
stem rot caused by *Fusarium solani* species complex, 140N
Papaya leaf curl China virus (PaLCuCNV), 1497
Papaya ringspot virus type W (PRSV-W), 1137
Papaya ringspot virus watermelon strain (PRSV-W), 1057
Pappu, H. R., 1517N, 1665N
Paraconiothyrium variablie, 1250N
Parasites, infection of kenaf by *Phelipanche aegyptiaca*, 695N
Paret, M., 1664N
Park, J. H., 147N, 422N, 425N, 428N, 847N, 993N, 997N, 1117N, 1118N, 1119N, 1120N, 1121N, 1254N, 1510N, 1512N
Park, J.-H., 997N
Park, M. J., 425N, 691N, 1512N
Parkunan, V., 1116N, 1221, 1384N
Parnell, S., 797
Parrella, G., 1387N
Parsley (*Petroselinum crispum*)
leaf spot caused by *Pseudomonas syringae* pv. *coriandricola*, 988N
Stemphylium leaf spot caused by *Stemphylium vesicarium*, 315
Pasche, J. S., 608, 952
Passalora dubia, 139N
Passalora fulva, 992N
Passalora leaf spot of quinoa, 139N
Patel, J. S., 426N
Pathogen resistance
a public program to evaluate commercial soybean cultivars, 568
spring wheat tolerance and resistance to *Heterodera avenae*, 590
Pati, P. K., 420N
Patpour, M., 387
Patzek, L. J., 379, 1626
Paul, C., 1379N
Paul, P. A., 1125N
Paulitz, T., 4, 590, 842N, 1448, 1626
Pavlovic, S., 420N, 1653N
Pavon, C., 1478
Paylan, I. C., 1388N
Pch1 resistance gene, 346
Pch2 resistance gene, 346
PCR primers
development for the identification of *Fusarium oxysporum* f. sp. *fragariae*, 619
revisiting the specificity of primers for *Xanthomonas citri* pv. *citri* identification, 373
Pea (*Pisum sativum*), root rot, 461
Peach (*Prunus persica*)
brown rot caused by *Monilinia fructicola*, 1255N
Hop stunt viriod in Greece, 1662N
leaf scorch development on almond branches high-grafted on peach rootstock, 277
Prune dwarf virus and *Prune necrotic ringspot virus* infections, 1259N
Peach brown rot, 1255N
Peanut aerial blight, 1658N
Peanut leaf rot, 140N, cover photo: January
Pear (*Pyrus*)
bitter rot caused by *Colletotrichum fruticola*, 1000N
evaluation of non-antibiotic strategies for fire blight control, 402
fire blight caused by *Erwinia amylovora* in Iran, 1111N
Pearl millet (*Pennisetum glaucum*), resistance to diverse pathotypes of *Magnaporthe grisea*, 189
Pearl millet blast, 189
Pecan (*Carya illinoinensis*)
assessment of pecan scab disease severity, 675
susceptibility to *Geosmithia morbida*, 601
vertical distribution of scab, 626
Pecan root-knot nematode, 151N
Pecan scab
assessment of disease severity, 675
effect of Horsfall-Barratt category size on disease severity, 797
vertical distribution, 626
Pectobacterium atrosepticum, 1652N
Pectobacterium carotovorum subsp. *carotovorum*
broccoli soft rot in Serbia, 1504N
soft rot on pepper fruits, 1109N
Pectobacterium wasabiae
soft rot disease in Malaysia, 685N
soft rot of cabbage, 1110N
Peduto, F., 231, 1571
Peduto, T., 1438
'Peerless' almond, 277
Pei, D. L., 995N
Pelletier, Y., 641
Peng, A., 1295
Peng, A. T., 1508N
Peng, D., 1288
Peng, D. L., 151N
Peng, H., 1288
Peng, Q., 1308
Peng, Y., 1221
Penicillium adametzii, 288N
Penicillium digitatum
phosphite salts to control in citrus, 201
postharvest rot on lime fruit, cover photo: March
Penicillium expansum, 846N
Penicillium glabrum, 288N
Penicillium italicum, 201
Penicillium spp., wet core rot of apple fruit, 510
Pennisetum glaucum. See Pearl millet
Pennisetum purpureum, 1003N
Pensa, P., 288N, 844N, 1119N, 1384N
Pentachloronitrobenzene, 807
Penthiopyrad resistance, in *Alternaria solani* causing early blight of potato, 1655N
Peñuelas, C. B., 1112N
Peperomia tuisana, 1004N
Pepino (*Solanum muricatum*), 662
Pepper
anthracnose caused by *Colletotrichum boninense*, 138N
Broad bean wilt virus-2 in the Czech Republic, 1261N
fruit rot caused by *Fusarium concentricum* in China, 1657N
Impatiens necrotic spot virus on fruit, 1124N, cover photo: August
Pepper vein yellows virus infection, 1261N
potential resistance to *Phytophthora capsici*, 1037
soft rot caused by *Pectobacterium carotovorum* subsp. *carotovorum*, 1109N
Tomato yellow fruit ring virus infection, 1259N
See also Capsicum annuum

Pepper chat fruit viroid (PCFVd), 1386N
Pepper vein yellows virus (PeVYV), 1261N
Peralta, E. L., 1003N
Pereira, O. L., 496, 847N, 1255N, 1257N
Pereira, R. M., 1116N
Pereira-Carvalho, R. C., 692N
Peres, N. A., 393
Peres, N. A. R., 687N
Pérez, A., 1249N
Pérez, I., 842N
Pérez, J., 843N
Perez, R., 1511N
Pérez, S., 1657N
Pérez, S. M., 144N
Perez-Cuevas, M., 1380N, 1381N
Perez-Egusquiza, Z., 1122N
Peronospora arborescens, downy mildew on opium poppy, cover photo: December
Peronospora belbahrii
downy mildew on basil, 1248N
occurrence and resistance to mefenoxam in Israel, 692N
Peronospora sordida, 560N
Peronospora spp., downy mildew on Persian buttercup, 422N
Perry, K. L., 849N, 1663N
Persian buttercup (*Ranunculus asiaticus*), 422N
Persimmon (*Diospyros kaki*), postharvest anthracnose, 691N
Persson, L., 461
Pesic-VanEsbroeck, Z., 1516N
Pestalotiopsis leaf blotch, 146N
Pestalotiopsis mangiferae, 426N
Pestalotiopsis sydowiana, 990N
Pestalotiopsis theae, 558N
Pest resistance, a public program to evaluate commercial soybean cultivars, 568
Peter, K. A., 999N
Peters, D., 1110N
Peters, J. C., 1245N
Pethybridge, S. J., 1431
Petiole blight, on *Washingtonia filifera,* 1509N
Petri disease, 1247N
Petroselinum crispum. See Parsley
Petrov, N., 1258N
Peucedanum praeruptorum, 1380N
Phacellium veronicae, 1662N
Phaeoacremonium aleophilum, 231
Phaeoacremonium mortoniae, 1025
Phaeomoniella chlamydospora, 231, 1529
Phakospora pachyrhizi
adaptation to soybean with *Rpp1* or *Rpp6* rust resistance genes, 1379N
Asian soybean rust in Puerto Rico, 1378N
Pham, K. T. K., 1082
Phaseolus coccineus, 652
Phaseolus lunatus. See Lima bean
Phaseolus spp., screening for resistance to *Uromyces appendiculatus,* 652
Phaseolus vulgaris. See Common bean
Phelipanche aegyptiaca, 695N
Phibbs, A., 693N
Philippou, O. A., 140N
Phoenix dactylifera. See Date palm
Phoenix spp.
palm rot caused by *Neodeightonia phoenicum,* 286N
pink rot caused by *Nalanthamala vermoesenii,* 285N
Phoenix theophrasti, leaf spot, 1250N
Phoma black leg, 1113N
Phoma glomerata
branch blight of tree peony, 1114N
petiole blight in *Washingtonia filifera,* 1509N
Phoma medicaginis var. *pinodella,* 547
Phoma novae-verbascicola, 1660N
Phoma spp., dry core rot of apple, 510
Phomopsis amygdali, 1403
Phomopsis blight, on *Pieris japonica,* 1403
Phomopsis cane and leaf spot (PCLS), 579
Phomopsis dieback, on grapevine in California, 1571
Phomopsis fukushii, 912
Phomopsis longicolla, 844N
Phomopsis spp.
effect of fungicide application in the management of avocado branch canker, 897
olive twig and branch dieback, 231
stem-end rot in avocado, 1580
Phomopsis viticola
effect of temperature and wetness on sporulation rate, 579
Phomopsis dieback on grapevine in California, 1571
wood infection of *Vitis* spp., 912, 1529
Phormium colensoi, 1115N
Phormium cookianum, 1115N
Phosphite salts, to control citrus postharvest decay, 201
Phyllody disease of sesame, 835N
Phyllosticta coryli, 1254N
Phyllosticta yuccae, 1257N
Physalis alkekengi var. *franchetti,* 1382N
Physalis angulata (cut leaf ground cherry), 692N
Physalis ixocarpa, 1124N
Phytophthora blight, survival of oospores in soil, 1478
Phytophthora cactorum × *P. hedraiandra,* 635
Phytophthora capsici
age-related resistance in 'Dickenson Field' processing pumpkin and 'Golden Delicious' winter squash, 446
potential resistance in eggplant rootstocks and pepper varieties, 1037
soil-applied fungicides to manage on summer squash, 107
survival of oospores in soil, 1478
Phytophthora cinnamomi
nested quantitative real-time PCR assay for detection in avocado, 1012
Phytophthora damping-off in rooibos, 1601
Phytophthora citricola, 635
Phytophthora citrophthora, 635
Phytophthora crown and root rot
soil-applied fungicides to manage on summer squash, 107
on zucchini in Spain, 1249N
Phytophthora cryptogea, 74
Phytophthora damping-off of rooibos, suppression by compost and nonpathogenic *Pythium,* 1601
Phytophthora drechsleri, 74
Phytophthora erythroseptica var. *pisi,* 461
Phytophthora gonapodyides, 86
Phytophthora hydropathica, 86
Phytophthora infestans
2009 late blight pandemic of tomato, causes and results, 296
homothallic isolates from potato in Mexico, 1112N
late blight caused by
clonal lineage US-22, 423N
clonal lineage US-23, 839N
clonal lineage US-24, 152N
phenotypic characterization of recent clonal lineages, 873
stem inoculation assay to assess transmission in potato, 183
Phytophthora megasperma, 86
Phytophthora nicotianae
carbon dioxide as a water disinfestant, 369
mefenoxam sensitivity, 86
pineapple heart rot in China, 560N
resistance in tobacco breeding lines derived from variety Beinhart 1000, 252
Vinca blight in Mexico, 1257N
Phytophthora nicotianae × *P. cactorum,* 635
Phytophthora palmivora, 1252N
Phytophthora × *pelgrandis*
root and collar rot of *Lavandula stoechas,* 1091
root rot and lower stem necrosis, 152N
Phytophthora pini
carbon dioxide as a water disinfestant, 369
mefenoxam sensitivity, 86
Phytophthora pisi sp. nov., 461
Phytophthora ramorum, 1377N
Phytophthora root rot, nested quantitative real-time PCR assay for detection in avocado, 1012
Phytophthora sojae, 461
Phytophthora spp.
carbon dioxide as a water disinfestant, 369
diversity and mefenoxam sensitivity in isolates associated with ornamentals, 86
nonpathogenic, suppression of Pythium and Phytophthora damping-off in rooibos, 1601
potential interaction with Huanglongbing in citrus, 1195
survey of nurseries, greenhouse, and landscapes in the Midwest, 635
Phytophthora taxon *niederhauserii,* 688N
Phytophthora tropicalis
carbon dioxide as a water disinfestant, 369
on rhododendron in Italy, 1385N
Phytoplasma Group 16SrIX, associated with sesame phyllody disease, 835N
Phytoplasma Group 16SrVII-C, associated with shoot proliferation of Sunn hemp, 1652N
Phytoplasma Group 16SrXII-A
associated with blueberry reddening disease in Serbia, 1653N
causing Stolbur disease in *Saponaria officinalis,* 420N
Phytopythium helicoides, 1385N
Picançao, M. C., 1116N
Pięcińska, J., 1663N
Pieretti, I., 988N
Pieris japonica, Phomopsis blight, 1403
Pigeon pea witches'-broom, 835N
Pilić, S., 150N
Pilidium concavum, 146N
Pineapple heart rot, 560N
Pinel-Galzi, A., 1664N
Pine wilt disease, on *Pinus thunbergii,* 1126N
Pinewood nematode, 1126N
Pinho, D. B., 847N, 1257N
Pink patch on bermudagrass, 561N
Pink rot, of *Phoenix* and *Washingtonia* species, 285N
Pintos Varela, C., 1252N
Pinus brutia, 1247N
Pinus elliottii, 995N
Pinus halepensis. See Aleppo pine
Pinus nigra, 1247N
Pinus sylvestris, pitch canker disease, 283N
Pinus sylvestris var. *mongolica,* 283N
Pinus thunbergii, pine wilt disease, 1126N
Pisum sativum var. *arvense,* 547
Pitahaya (*Hylocereus undatus*), internal black rot, 1513N, cover photo: November
Pitch canker disease, on *Pinus sylvestris,* 283N
Pithomyces chartarum, 1655N
Pitt, W. M., 749
Pityophthorus juglandis, 601
Plantago australis, powdery mildew, 421N
Plantain (*Musa* spp.)
Banana bunchy top virus infection, 290N
Banana mild mosaic virus in Ivory Coast, 693N
Plasmodiophora brassicae, 720
Plasmopara halstedii, 1382N
Plasmopara obducens, downy mildew on impatiens, 428N, 687N, 1512N
Platanus occidentalis, 841N, 843N
Plectosphaerella cucumerina, 848N

Ploetz, R. C., 856, 1248N
Ploper, L. D., 989N
Plum (*Prunus domestica*)
fruit rot caused by *Botryosphaeria dothidea*, 556N
molecular analysis of PPV-W isolate from germplasm, 44
Plum pox virus (PPV), 44
PMA-qPCR, 1158
Pod and stem blight of lima bean, 287N
Podosphaera aphanis, 354
Podosphaera fusca, 995N
Podosphaera xanthii
powdery mildew
on *Bidens pilosa*, 1254N
on cocklebur, 842N
on *Farfugium japonicum*, 691N
on *Hibiscus mutabilis*, 1118N
on papaya, 1514N
on Spanish needles, 1385N
Pokorný, R., 1249N
Polek, M., 283N
Poli, A., 145N, 288N, 424N, 844N, 1119N, 1384N, 1660N
Polizzi, G., 37
Polymerase chain reaction (PCR) assays
analysis of rice blast fungus, 491
comparison of tissue-disruption methods in pathogen detection, 363
detection of *Heterodera filipjevi* in soil and wheat roots, 1288
detection of *Pseudomonas syringae* pv. *actinidiae*, 472
detection of *Rhodococcus fascians*, 517
differentiation of *Heterodera filipjevi* and *H. avenae*, 1611
identification of strains of *Potato virus Y*, 1370
monitoring the current-season spread of *Potato virus Y*, 641
See also PCR primers; Real-time quantitative PCR
Polyoxin D, 1620
Polyphagous shot hole borer (PSHB), 938
Popović, T., 418N, 420N, 1504N
Populus spp.
branch canker caused by *Cytospora atrocirrhata*, 426N
canker caused by *Cytospora germanica*, 846N
Porchas, M., 196
Portabella button mushroom (*Agaricus bisporus*), 142N
Port-Orford-cedar (*Chamaecyparis lawsoniana*), 152N
Post-emergence damping off, in coconut seedlings, 143N
Postharvest anthracnose, on persimmon fruit, 691N
Postharvest black spot, on fresh date palm fruit, 286N
Postharvest blue mold, on fresh date palm fruit, 846N
Postharvest decay
development in southern highbush blueberry, 213
phosphite salts to control in citrus, 201
Postharvest fruit rot
of kiwifruit associated with *Diaporthe ambigua*, 843N
of lime fruit caused by *Penicillium digitatum*, cover photo: March
Postnikova, E., 1235
Potassium, effect on susceptibility to Banana Xanthomonas wilt, 123
Potassium bicarbonate, 196
Potassium phosphite, 201
Potassium sorbate, effect on quality and storage decay of table grapes, 307
Potato (*Solanum tuberosum*)
binucleate *Rhizoctonia* infection in the Pacific Northwest, 1657N
five viruses infecting potatoes in Tanzania, 1260N
Globodera rostochiensis pathotypes Ro5 in Poland, 1125n
homothallic isolates of *Phytophthora infestans* in Mexico, 1112N
integrated control of pathogens through seed potato certification, 1268
late blight
caused by *Phytophthora infestans* clonal lineage US-22, 423N
caused by *Phytophthora infestans* clonal lineage US-23, 839N
caused by *Phytophthora infestans* clonal lineage US-24, 152N
monitoring current-season spread of *Potato virus Y* using ELISA and real-time RT-PCR, 641
Potato mop top virus, 149N
real-time PCR assay for the quantification of *Verticillium dahliae* in, 608
Rhizoctonia solani AG-3 on tubers in Poland, 1245N
soft rot caused by *Pectobacterium wasabiae*, 685N
stem canker caused by binculeate *Rhizoctonia* AG-A, 1246N
stem inoculation assay to assess transmission of *Phytophthora infestans*, 183
zebra chip and '*Candidatus* Liberibacter solanacearum' infections in Nicaragua, 1109N
Potato blackleg disease, 1652N
Potato late blight. *See* Late blight of potato and tomato; Phytophthora infestans
Potato leaf roll virus (PLRV), 1260N
Potato mop top virus (PMTV), 149N
Potato spindle tuber viroid (PSTVd)
on *Solanum jasminoides* in Poland, 1663N
on tomato, 148N, cover photo: January
Potato stem canker
caused by binculeate *Rhizoctonia* AG-A, 1246N
caused by *Rhizoctonia solani* AG4 HGII in China, 840N
Potato tuber necrotic ringspot disease (PTNRD), 430N
Potato virus A (PVA), 1260N
Potato virus M (PVM), 1260N
Potato virus S (PVS), 1260N
Potato virus X (PVX), 1260N
Potato virus Y (PVY)
identification of strains by a multiplex IC-RT-PCR assay, 1370
identified in Tanzania, 1260N
monitoring current-season spread using ELISA and real-time RT-PCR, 641
recombinant strains on potato, 430N
Potato zebra chip, 1109N
Potyviruses
aphid transmission in sweet potato, 53
causing chlorotic mottling in squash, 1259N
Poudel, B., 168, 1352
Pouryosef, M., 694N
Powdery mildew
on cantaloupe, efficacy of fungicides and rotational programs for management, 196
caused by *Erysiphe cruciferarum*
on cruciferous species in Australia, 1256N
on garden cress, 998N
on Indian mustard, 1383N
caused by *Erysiphe heraclei* on curled dock, 427N
caused by *Erysiphe hypophylla* on leafy lespedeza, 287N
caused by *Erysiphe platani*
on *Platanus occidentalis*, 843N
on sycamore, 841N
caused by *Golovinomyces asterum* var. *solidaginis* on *Solidago gigantea*, 1120N
caused by *Golovinomyces magnicellulatus* on *Physalis alkekengi* var. *franchetti*, 1382N
caused by *Golovinomyces* sp. on *Plantago australis*, 421N
caused by *Leveillula taurica* on snow lotus, 848N
caused by *Podosphaera fusca* on *Herba eupatorii*, 995N
caused by *Podosphaera xanthii*
on *Bidens pilosa*, 1254N
on cocklebur, 842N
on *Farfugium japonicum*, 691N
on *Hibiscus mutabilis*, 1118N
on papaya, 1514N
on Spanish needles, 1385N
caused by *Pseudoidium anacardii* in mango, 994N
revisions to the high-temperature threshold of the UC Davis Powdery Mildew Index, 1438
on strawberry, analysis of incidence–severity relationships, 354
on triticale, evaluation of resistance in seedlings and adult plants, 410
on wheat, GIS identification of oversummering regions in China, 1168
Powdery mildew resistance, in triticale seedlings and adult plants, 410
Powell, C., 1109N
Powell, M., 996N, 1381N
Pratt, P. D., 1379N
Pratylenchus alleni, 292N
Pratylenchus neglectus
effects of semiarid crop rotations and tillage on, 537
quantitative real-time PCR assay for detection and quantification in soil, 747
on winter wheat, 151N
Pratylenchus spp.
effects of semiarid crop rotations and tillage on, 537
relationship between climactic factors and distribution in dryland wheat-production areas, 1448
Pratylenchus thornei
effects of co-inoculation with *Fusarium culmorum* on winter wheat, 1470
effects of semiarid crop rotations and tillage on, 537
Pressure-cycling technology (PCT), 363
Pressurized carbon dioxide, 369
Pretorius, Z. A., 479
'Princess Seedless' grapes, 307
Pristine (boscalid + pyraclostrobin), 393
Pritchett, L. C., 537, 547
Procure (triflumizole), 196
Propiconazole
characterization of *Monilinia fructicola* strains resistant to, 645
effect on avocado branch canker, 897
Propidium monoazide, 1158
Protto, V., 992N
Prune dwarf virus (PDV), 1259N
Prune necrotic ringspot virus (PNRSV), 1259N
Pruning wounds, protection from infection by *Eutypa lata* in grapevines, 1599
Prunus avium. *See* Sweet cherry
Prunus domestica var. *insititia*, 1662N
Prunus dulcis. *See* Almond
Prunus persica
brown rot caused by *Monilinia fructicola*, 147N
Hop stunt viriod in Greece, 1662N
Prunus salicina, 1662N
Prunus spp.

Cherry necrotic rusty mottle virus infection, 290N
molecular analysis of PPV-W isolate from germplasm, 44
Pruvost, O., 373, 836N, 989N, 1653N
Przetakiewicz, A., 1125N
Pseudocercospora angolensis, 1661N
Pseudocercospora subsessilis, 993N
Pseudococcus maritimus, 851N
Pseudoidium anacardii, 994N
Pseudomonas cannabina pv. *alisalensis*, 131
Pseudomonas cichorii
bacterial leaf spot on *Cichorium intybus*, 837N
bacterial leaf spot on witloof, 1376N
Pseudomonas corrugata, tomato pith necrosis, 988N, 1381N
Pseudomonas mediterranea, 988N
Pseudomonas savastanoi
bacterial gall on *Loropetalum chinense*, 835N
knot disease on sweet olive, 419N, cover photo: March
Pseudomonas syringae pv. *actinidiae*
identification, virulence, and distribution in New Zealand, 708
multiplex PCR assay for the detection of, 472
Pseudomonas syringae pv. *coriandricola*
bacterial leaf spot of coriander, 418N
leaf spot of parsley, 988N
Pseudomonas syringae pv. *syringae*, 685N
Pseudoperonospora cubensis
chromosomal mapping and QTL analysis of resistance to in *Cucumis sativa*, 245
host preference of mating type in, 292N
occurrence of A2 mating type in China, 559N
Psidium guajava, 1132
Psyllid-infested tobacco, 1244N, cover photo: September
Pu, X. M., 282N, 560N
Puccinia allii, 285N
Puccinia arrhenatheri, 1281
Puccinia coronata, 1544
Puccinia emaculata, 424N
Puccinia graminis f. sp. *avenae*, 1281
Puccinia graminis f. sp. *secalis*, 1281
Puccinia graminis f. sp. *tritici*
aecial stage on *Berberis* spp., 1281
field resistance to the Ug99 race group in spring wheat landraces, 882
identification of resistance in triticale, 479
seedling stage resistance of Iranian bread wheat germplasm to race Ug99, 387
Sr31-virulent races in Tanzania, 557N
Puccinia hemerocallidis, 921
Puccinia hordei, 838N
Puccinia kuehnii, 426N
Puccinia pelargonii-zonalis, 1660N
Puccinia psidii
rust on *Rhodomyrtus tomentosa*, 1379N
spore collection device for sampling exposure pathways, 828
Puccinia recondita, 1408
Puccinia striiformis
adult plant resistance in 'Quaiu 3' spring wheat, 728
population genetic structures in China, 501
Puccinia striiformis f. sp. *tritici*
Oregon grape as an alternate host under artificial inoculation, 839N
population genetic structures in China, 501
resistance in wheat line Avocet 'S,' 996N
virulence characterization of international collections, 379
Puccinia triticina
adult plant resistance in 'Quaiu 3' spring wheat, 728
physiologic specialization on wheat, 1103
spore recovery, 828
Puccinia veronicae-longifoliae, 285N
Pudashini, B. J., 290N
Pueraria montana. *See* Kudzu
Pulsatilla koreana, 425N
Pumphrey, M. O., 590
Pumpkin
age-related resistance to Phytophthora fruit rot, 446
bacterial leaf spot caused by *Xanthomonas cucurbitae*, 1375N
Pumpkin rootstock, transmission of *Acidovorax citrulli* in watermelon, 420N
Puri, K. D., 379
Puteh, A., 287N, 687N, 841N, 1507N
Putnam, M. L., 517, 835N
Pyraclostrobin
effect on avocado branch canker, 897
management of powdery mildew on cantaloupe, 196
residual efficacy for treating brown patch on creeping bentgrass, 1620
resistance in *Botrytis cinerea* isolated from strawberry, 393
Pyrenophora teres f. *maculata*, 143N
Pyrethrum (*Tanacetum cinerariifolium*), 1431
Pyricularia grisea, 189
Pyrimethanil
protection of pruning wounds from *Eutypa lata* infection in grapevines, 1599
resistance in *Botrytis cinerea* isolates from strawberry, 81, 393
Pyrus bretschneideri, bitter rot, 1000N
Pyrus pyrifolia, 147N
Pythium acanthicum, 1601
Pythium aff. macrosporum, 744
Pythium aff. oopapillum, 744
Pythium aphanidermatum, 292N
Pythium cederbergense, 1601
Pythium damping-off
caused by *Globisporangium ultimum* on Aleppo pine, 1111N
of rooibos, suppression by compost and nonpathogenic *Pythium*, 1601
Pythium dissotocum, 744
Pythium irregulare, 744, 1601
Pythium mamillatum, 744, 1601
Pythium myriotylum, 1601
Pythium pyrilobum, 1601
Pythium recalcitrans, 991N
Pythium rostratifingens, 744
Pythium spiculum, 991N
Pythium spp.
influence of semiarid cropping systems on inoculum density, 547
molecular detection and quantification, 4
nonpathogenic, suppression of Pythium and Phytophthora damping-off in rooibos, 1601
pathogenicity and virulence from forest nursery soils on Douglas-fir seedlings, 744
Pythium sylvaticum, 744
Pythium ultimum var. *ultimum*, 744

Qi, H.-H., 1339
Qi, X., 1288
Qiao, Q., 1388N
Qiao, Z., 1388N
Qin, B. X., 1001N
Qin, B.-X., 431N
Qin, W. Q., 1654N
Qin, Y., 1388N
Qiu, Y., 993N
QoI fungicides, insensitivity of *Cercospora beticola* in sugar beet, 1255N
QoI resistance
in *Botrytis cinerea* isolated from strawberry, 393
in *Fusicladium carpophilum*, 1322
in North Americas populations of *Zymoseptoria tritici*, 1511N
QTL analysis
of downy mildew resistance in cucumber, 245
of *Phytophthora nicotianae* resistance in tobacco, 252
Qu, F., 693N, 1125N
Qu, L. N., 290N
Quadris (azoxystrobin), 196
Quaglino, F., 1505N
'Quaiu 3' spring wheat, 728
Quantitative PCR. *See* Real-time quantitative PCR
Quantitative trait loci (QTLs), responsible for resistance to rice sheath blight disease, 113
'Queencrest/Nemaguard' peach rootstock, 277
Quercus agrifolia, 1025
Quercus aliena, 1121N
Quercus laurifolia, 151N
Quercus robur ("pedunculate oak"), 560N
Quercus suber, 991N
Quinoa (*Chenopodium quinoa*)
Ascochyta leaf spot caused by *Asochyta* sp., 844N
Passalora leaf spot, 139N
Quinone outside inhibitors. *See* QoI fungicides
Quiñonez Barraza, S., 431N
Quinoxygen (Quintec), 196
Quintero-Ferrer, A., 430N
Quiroz-Figueroa, F. R., 994N
Quito, D., 168
Quito-Avila, D. F., 1003N

Rachis blight, on *Washingtonia filifera*, 1509N
Rachis necrosis of mango, 1381N
Raffaelea lauricola
Gulf licaria as a suscept of, 1248N
laurel wilt on sassafras, 688N
Rai, K. N., 189
Raimondo, M. L., 846N
Ralstonia solanacearum
bacterial wilt on *Ageratum conyzoides*, 418N
bacterial wilt on roselle, 1375N
effect of *Sedum takesimense*-derived gallotanins on, 1593
eradication from forest nursery irrigation water, 780
Rambutan (*Nephelium lappaceum*)
fruit rot caused by *Calonectria hongkongensis*, 1117N
fruit rot caused by *Gliocephalotrichum bacillisporum*, 1110N
Ramo, C., 991N
Randall, J. J., 838N
Randonji, S., 686N
Ranunculus asiaticus. *See* Persian buttercup
Rapetti, S., 145N
Rapid Cycling Brassica Collection (RCBC), reaction of lines to *Plasmodiophora brassicae*, 720
Rapid polymerase chain reaction, for the detection of *Rhodococcus fascians*, 517
Rapisarda, V. A., 201
Rascoe, J., 283N
Raspberry (*Rubus* spp.), review of viruses and virus diseases, 168
Raspberry bushy dwarf virus (RBDV), 1003N
Ratti, C., 1258N
Ratti, M. F., 1003N
Rauf, A., 1665N
Raya, M. C., 556N
Rayamajhi, M. B., 1379N
Ray blight disease, 1431
Razdan, V. K., 838N
Real-time quantitative PCR (qPCR)
detection and quantification of *Pratylenchus neglectus* in soil, 747
detection of '*Candidatus* Liberibacter species,' 1235
detection of *Cylindrocladium buxicola*, 1082
early detection of Eastern filbert blight, 813
quantification of '*Candidatus* Liberibacter

asiaticus,' 1158
quantification of *Verticillium dahliae* in potato, 608
TaqMan assay for *Fusarium oxysporum* f. sp. *spinaciae*, 927
Real-time reverse-transcription PCR assay, monitoring current-season spread of *Potato virus Y*, 641
Reardon, C. L., 757
Rebbeck, J., 999N
Redbay ambrosia beetle (*Xyleborus glabratus*), 688N
Redinbaugh, M. G., 1125N, 1418
Reed, J. T., 53
Reiniger, L. R. S., 995N
Reis, A., 422N
Ren, C. M., 1123N
Ren, X. D., 840N
Ren, Y. Z., 995N
Reniform nematodes, biocontrol, 967
Repetitive element-based polymerase chain reaction, analysis of rice blast fungus, 491
Repetto, L., 145N
Resende, R. O., 1003N
Resistance genes
chromosomal mapping of downy mildew resistance in cucumber, 245
eyespot of wheat resistance genes in *Aegilops longissima*, 346
identification stem rust resistance genes in triticale, 479
Puccinia hordei virulence to barley leaf rust resistance genes *Rph3* and *Rph7*, 838N
Rezende, J. A. M., 289N, 1261N
Rhizoctonia crown and root rot, resistance responses in sugar beet, 1175
Rhizoctonia root rot
influence of semiarid cropping systems on, 547
selection for resistance in sugar beet, 93
Rhizoctonia solani
black scurf of potato, cover photo: December
effect of cultivation and timing of nitrogen fertilization on large patch disease in zoysiagrass, 1075
peanut leaf rot, 140N, cover photo: January
residual efficacy of fungicides on creeping bentgrass, 1620
strain AG1-IA
aerial blight of peanut in Arkansas, 1658N
foliar blight on *Brachiaria*, 772
QTLs responsible for resistance in rice, 113
web blight on rosemary, 844N
strain AG1-IB
on *Mucuna pruriens*, 284N
web blight on oregano, 1119N
strain AG2-2IIIB, resistance responses in sugar beet, 1175
strain AG-3, on potato tubers in Poland, 1245N
strain AG4 HGII, potato stem canker in China, 840N
strain AG-8, influence of semiarid cropping systems on inoculum density, 547
Rhizoctonia spp.
causing foliar blight on *Brachiaria*, 772
onion stunting in Oregon and Washington, 1626
See also Binucleate *Rhizoctonia*
Rhizosphaera kalkhoffii, 283N
Rhodococcus fascians, 517
Rhododendron
as a host of *Phytophthora* spp., 635
Phytophthora tropicalis infection in Italy, 1385N
Rhodomyrtus tomentosa, 1379N
Rhopalosiphum padi, 53
Rhouma, A., 836N
Ribes uva-crispa, 1249N
Rice black-streaked dwarf virus (RBSDV), 1181
Rice blast fungus, 491
Rice flat sedge. *See* Cyperus iria
Rice sheath blight resistance, 113
Rice stripe virus (RSV), 1123N, 1181
Rice viruses, simultaneous detection and survey in China, 1181
Rice yellow mottle virus (RYMV), 1664N
Richardson, P. A., 1385N
Ridgway, H. J., 1113N
Rieger begonia, bacterial leaf spot, 282N
Ringspot, on kudzu, cover photo: April
Ristaino, J., 296
Ristić, D., 150N, 850N, 1004N
Rivas, E. B., 1517N
Rivera-Bustamante, R., 1002N
Rivera-Vargas, L. I., 1117N, 1380N, 1381N
Rivers, S. A., 1069
Robène-Soustrade, I., 373
Roberge, L., 354
Roberts, P., 296
Roberts, P. D., 1137, 1149
Robertson, J. M., 1097
Robinia pseudoacacia, 851N
Robinson, A., 828
Roca, L. F., 556N, 1549
Rocha, F. B., 560N
Rodgers, L., 1379N
Rodoni, B. C., 1386N
Rodrigues, J. C. V., 1516N
Rodríguez, A., 1112N
Rodríguez-Alvarado, G., 1660N
Rohdea japonica (lily of China), 559N
Rojo-Baez, I., 1257N
Rollan, C., 992N
Rolshausen, P. E., 912, 1511N, 1529
Romanazzi, G., 307
Ronco, L., 992N
Rooibos (*Aspalathus linearis*), 1601
Rooney-Latham, S., 283N, 1115N, 1377N, 1384N
Root and collar rot, on *Lavandula stoechas*, 1091
Root and stem rot
caused by *Phytophthora helicoides* on begonia, 1385N
caused by *Phytophthora* taxon *niederhauserii* on mimosa, 688N
Root diseases, effect of semiarid cropping systems on, 547
Root-knot nematodes
in Belgium, 152N
on common bean in Brazil, 431N
on corn in western Spain, 694N
on noni, 1518N
occurrence and molecular characterization in North America, 1424
on tomato and cucumber in Turkey, 1262N
Root-lesion nematodes
associated with damage on soybean, 292N
effects of semiarid crop rotations and tillage on, 537
quantitative real-time PCR assay *Pratylenchus neglectus* in soil, 747
on winter wheat, 151N
Root rot
associated with *Fusarium solani* and *F. oxysporum* in *Glycyrrhiza uralensis*, 1514N
caused by *Cylindrocarpon* sp. on strawberry, 1251N
caused by *Cytospora sacculus* in Chinese jujube, 1661N
caused by *Fusarium oxysporum* on *Pulsatilla koreana*, 425N
caused by *Passalora dubia* on *Atractylodes macrocephala*, 139N
caused by *Phytophthora* × *pelgrandis*, 152N
caused by *Phytophthora pisi* sp. nov. on pea and faba bean, 461
caused by *Pythium spiculum* on cork oaks, 991N
Rosa canina, 1652N
Rosales, I. M., 485
Rosas, J. C., 652
Rose (*Rosa* spp.)
bacterial spot caused by a novel *Xanthomonas* sp., 1301
Rose yellow vein virus in New Zealand, 1122N
Rosehip (*Rosa canina*), 1652N
Roselle (*Hibiscus sabdariffa*), 1375N
Rosemary (*Rosmarius officinalis*), 844N
Rosen, C., 285N
Rosenzweig, N., 1255N, 1655N
Rose of sharon (*Hibiscus syriacus*), leaf spot, 847N
Rose yellow vein virus (RYVV), 1122N
Ross-Davis, A. L., 1379N
Rossi, V., 1331
Rossman, A. Y., 146N, 813
Rothrock, C. S., 807
Rott, P., 988N
Rotylenchus reniformis, biocontrol, 967
Roubtsova, T., 601
Roumagnac, P., 988N
Rouse, M. N., 882
Roux-Cuvelier, M., 989N
Roy, A., 1227, 1235
'Royal Candles' *Veronica spicata*, 285N
Rph3 gene, 838N
Rph7 gene, 838N
Rpp1 gene, 1379N
Rpp6 gene, 1379N
Rubies Autonell, C., 1258N
Rubin, A. E., 292N, 559N, 692N
Rubio Ames, Z., 307
Rubus fruticosus
'*Candidatus* Phytoplasma solani' infection, 282N
cane and leaf rust caused by *Kuehneola uredinis*, 1115N
Rubus glaucus, 1003N
Rubus spp.
review of viruses and virus diseases, 168
See also Blackberry
Rudd, J. C., 728
Rueda, A., 1109N, 1245N
Rugman-Jones, P. F., 938
Ruhl, G., 635
Ruiz, C. A., 1112N
Ruiz, T., 201
Rumex crispus. *See* Curled dock
Rupe, J. C., 807
Rupp, R., 1448
'Russet Norkotah' potato, 183
Rust
caused by *Aecidium magnatum* on *Viburnum sargentii*, 1251N
caused by *Puccinia psidii* on *Rhodomyrtus tomentosa*, 1379N
caused by *Puccinia veronicae-longifoliae* on *Veronica spicata*, 285N
Rust fungi, forming aecia on *Berberis* spp., 1281
Rust resistance genes, adaptation of *Phakospora pachyrhizi* to soybean genotypes, 1379N
Rye (*Secale cereale*), molecular phylogenetic relationships of brown leaf rust fungi, 1408

Saalau-Rojas, E., 693N
Sabanadzovic, S., 168
Saccharum arundinaceum, 686N
Saccharum spp. *See* Sugarcane
Sackett, K. E., 1511N
Sacristán-Pérez-Minayo, G., 694N
Sadowski, Cz., 142N
Saeed, S. T., 1251N

Saha, S., 849N
Sahana, A. B., 1517N
Sahin, F., 1652N
Sainju, U. M., 143N
Sainz Oses, M. J., 1252N
Salazar, L., 1005N
Salem, N. M., 1505N
Salix sp., branch canker, 426N
Salom, S. M., 837N
Salt marshes, sudden vegetation dieback in Atlantic and Gulf Coast marshes, 436
Salvalaggio, A. E., 556N
Samad, A., 1251N
Sambucus nigra, 1246N, 1515N
Samsatly, J., 1516N
Sanchez, J., 557N, 997N, 1111N, 1506N
Sánchez, M. E., 991N
Sánchez, S., 996N
Sanders, F. H., 1375N
Sanin, S., 379
Sano, T., 149N, 1517N
Sansevieria trifasciata
  anthracnose caused by *Colletotrichum sansevieriae*, 1510N
  leaf spot caused by *Chaetomella* sp., 992N
Saparrat, M., 992N
Sapindus delavayi, 685N
Saponaria officinalis
  leaf spot caused by *Alternaria nobilis*, 424N
  Stolbur disease caused by phytoplasma group 16SrXII-A, 420N
Sariah, M., 685N, 1109N
Saroj, A., 1251N
Sasenelli, N., 333
Sassafras (*Sassafras albidum*), 688N
Sathuvalli, V., 813
Satpathy, S., 1109N
Saude, C., 1248N
Saurat, C., 144N
Saussurea involucrata, 848N
Savelle, A. T., 213
Savocchia, S., 749
SCAR-PCR assay, detection of *Heterodera filipjevi* in soil and wheat roots, 1288
Scauflaire, J., 1252N
Schefflera actinophylla, 998N
Schena, L., 1091
Scherm, H., 213
Schinus terebinthifolius, 496
Schisandra chinensis, 288N
Schizophyllum commune, 231
Schlumbergera truncata, 846N
Schmitt, M. E., 1424
Schnabel, D., 283N
Schnabel, E., 645
Schnabel, G., 81, 145N, 271, 645, 848N, 1063
Schneider, C., 1301
Schneider, R. W., 436
Schneider, W. L., 1235
Schroeder, B. K., 1381N
Schroeder, K. L., 4, 927
Schwartz, H. F., 1200
Sclerotinia blight
  on spearmint, 1384N
  on *Trifolium ambiguum*, 142N
Sclerotinia minor
  stem rot on canola in Australia, 1660N
  white mold on Mexican sunflower, 1250N
Sclerotinia sclerotiorum
  Sclerotinia blight on spearmint, 1384N
  stem rot of anemone, 997N
Sclerotinia trifoliorum, 142N
Sclerotium rolfsii
  Southern blight on common bean, 1386N
  white rot on taro, 1000N
Scott, E. S., 1599
SdhB gene, 118
SDHI fungicides. *See* Succinate dehydrogenase inhibiting fungicides
SDHI resistance
  in *Alternaria solani*, 952
  in *Botrytis cinerea* isolated from strawberry, 393
Seaman, A., 296
Seblani, R., 1516N
Secale cereale, molecular phylogenetic relationships of brown leaf rust fungi, 1408
Secor, G., 296
Sedum takesimense, 1593
Seebold, K., Jr., 296
Seedling blight
  caused by *Acidovorax citrulli* transmitted from pumpkin rootstock in watermelon, 420N
  caused by *Fusarium temperatum* on maize, 1252N
Seedling root rot, caused by *Fusarium commune* on soybean, 284N
Seed potato certification, 1268
Seed rot, caused by *Fusarium commune* on soybean, 284N
Seed treatments, effect on soybean stand establishment, 807
Segulo, S. N., 21
Segura, A. C., 838N
Seidl, A. C., 152N, 423N, 839N
Seifers, D. L., 21, 903, 983, 1051
Seijo, T. E., 687N
Selvaraj, G., 720
Semiarid cropping systems
  effects of crop rotations and tiliage on *Pratylenchus* spp., 537
  influence on root disease and inoculum density of soilborne pathogens, 547
Sengoda, V. G., 1235, 1245N, 1375N, 1376N, 1654N
Seo, S. T., 847N, 993N, 997N
Septoria allii, 147N
Septoria tritici blotch of wheat, 1511N
Sequence characterized amplified region–polymerase chain reaction (SCAR-PCR) assay, 1288
Serdani, M., 517, 1115N
Séré, Y., 1664N
Serenade (*Bacillus subtilis*), 196
Serrano, M. S., 991N
Serrano, N., 668
Serrano, Y., 1249N
Serrato-Diaz, L. M., 1117N, 1380N, 1381N
Sesame phyllody disease, 835N
'Sevillenca' olive, 668
Seyb, A. M., 1386N
Seybold, S. J., 601
Shaggy mane (*Coprinus comatus*), 1507N
Shah, S. J. A., 379
Shahid, M. S., 290N
Shallow-bark canker, on walnut trees, 1504N
Shang, S.-H., 424N
Shang, W. J., 1513N
Sharma, A., 420N
Sharma, B. C., 838N
Sharma, K., 720
Sharma, P., 849N
Sharma, R., 189
Sharma, R. C., 379
Sharma-Poudyal, D., 379
Shaver, J. B., 852N
She, X. M., 418N, 1652N
Sheath blight resistance, 113
Shen, H. F., 282N, 560N
Shen, Y. M., 835N, 1512N
Shen, Z., 424N
Sheng, H., 346
Shew, D., 252
Shi, H., 852N
Shi, J.-X., 424N
Shi, Y. C., 1123N
Shih, S. L., 291N
Shim, H. S., 1376N, 1377N
Shimabuku, R., 1244N
Shin, C. H., 691N, 993N, 1118N
Shin, H. D., 147N, 422N, 425N, 428N, 691N, 843N, 847N, 993N, 997N, 998N, 1117N, 1118N, 1119N, 1120N, 1121N, 1254N, 1382N, 1383N, 1510N, 1512N, 1514N
Shoot blight and canker, on hazelnut trees, 144N
Shoot proliferation of Sunn hemp, 1652N
Short, D. P. G., 999N
Sigatoka disease complex, 1537
Sijam, K., 1110N
Sikdar, P., 1257N
Silué, D., 1664N
Silva, A. D. A., 1257N
Silva, C. M., 780
Silva, K. N., 1003N
Silva, M., 1120N
Silva, M. A., 847N
Silva, M. S., 1003N
Silva-Rosales, L., 1002N, 1124N
Silverman, D., 692N
Simple sequence repeat (SSR) analysis, of downy mildew resistance in cucumber, 245
Simpson, J. A., 828
Singh, A. K., 1396
Singh, D., 557N, 882
Singh, G., 420N
Singh, M., 641
Singh, R. P., 728
Singh, V., 420N
Sinniah, G. D., 427N
Sinningia speciosa, 429N
Širca, S., 1262N
Skantar, A., 757, 1424, 1611
Skippy transposable element, 619
Slaminko, T. L., 568
Small, I. M., 296, 873
Smart, C. D., 296
Smilanick, J. L., 201, 307
Smiley, R. W., 537, 547, 590, 757, 1448, 1470, 1611
Smith, D. L., 693N
Smith, J. P., 131
Smith, R. J., 1571
Smith, S., 1375N
Smith, T. J., 851N
Smith, T. P., 53
Smoke tree vascular wilt, 1645
Smooth cordgrass (*Spartina alterniflora*), short form in salt pan, cover photo: April
Smoothlip cymbidium (*Cymbidium kanran*), 997N
Smut
  of blue panicgrass, cover photo: January
  caused by *Sporisorium sorghi* on *Saccharum arundinaceum*, 686N
Snover-Clift, K., 296
Snow lotus (*Saussurea involucrata*), 848N
Snyder, A. L., 837N
Soapberry (*Sapindus delavayi*), 685N
Soapwort. *See* Saponaria officinalis
Sobh, H., 1516N
Sodium hypochlorite, management of Fusarium wilt of China asters, 530
Soft rot disease
  caused by *Fusarium oxysporum* on gray jujube, 1509N
  caused by *Pectobacterium carotovorum* subsp. *carotovorum* on pepper fruits, 1109N
  caused by *Pectobacterium wasabiae*
    on cabbage, 1110N
    on sweet potato, tomato, and eggplant, 685N
Soil-applied fungicides, to manage Phytophthora crown and root rot on summer squash, 107
Soilborne pathogens

influence of semiarid cropping systems on inoculum density, 547
quantitative real-time PCR assay for *Pratylenchus neglectus*, 747
Solanum aethiopicum, 840N
Solanum betaceum, 819
Solanum jasminoides, 1663N
Solanum lycopersicum. *See* Tomato
Solanum melongena. *See* Eggplant
Solanum muricatum, 662
Solanum rantonnetti, 1663N
Solanum tuberosum. *See* Potato
Soleimani, N., 687N
Solenostemon, 149N
Solidago gigantea, 1120N
Son, S. Y., 1251N
Song, S. Q., 1657N
Song, W. W., 1654N
Song, X. B., 1508N
Song, Y., 1168
Sosnowski, M. R., 749, 1599
Sotelo, G., 772
Soto-Alvear, S., 485
Soukainen, M., 1376N
Soulioti, N., 1247N
Sour cherry orchards, effect of sanitation treatments on leaf litter density and leaf spot incidence, 891
Sousa, M. C., 1563
Southern blight, on common bean, 1386N
Southern highbush blueberry (SHB), postharvest disease development, 213
Southern rice black-streaked dwarf virus (SRBSDV), 1181
Southern tomato virus (STV), 1124N
Souza, A. G. C., 1116N
Souza, B. O., 140N
Sovran (kresoxim-methyl), 196
Soybean (*Glycine max*)
adaptation of *Phakospora pachyrhizi* to genotypes with rust resistance genes, 1379N
anthracnose caused by *Colletotrichum gloeosporioides*, 841N
charcoal rot caused by *Macrophomina phaseolina*, 1506N
damping-off, seed rot, and seedling root rot caused by *Fusarium commune*, 284N
distribution and frequency of *Fusarium* spp. in association with roots, 1549
effect of fungicide application and cultivar on green stem disorder, 1212
effect of fungicide seed treatments, cultivars, and soils on stand establishment, 807
infection of seed by *Colletotrichum chlorophyti*, 1510N
lance nematode infection, 1389N
Meloidogyne enterolobii infection, 1262N
Pratylenchus alleni associated with damage on, 292N
a public program to evaluate commercial cultivars for pathogen and pest resistance, 568
soybean cyst nematode infection in China, 852N
Soybean vein necrosis-associated virus infection, 693N, cover photo: May
Soybean vein necrosis virus infection, 1387N, 1664N
stem blight caused by *Phomopsis longicolla* in China, 844N
sudden death syndrome caused by *Fusarium virguliforme*, cover photo: May
Soybean cyst nematode, 852N
Soybean vein necrosis-associated virus (SVNaV), 693N, cover photo: May
Soybean vein necrosis virus (SVNV), 1387N, 1664N
Soza Gomez, F., 1109N
Spadoni, A., 689N
Spadotti, D. M. A., 1261N
Spanish needles, 1254N, 1385N
Spartina alterniflora, short form in salt pan, cover photo: April
Spearmint (*Mentha spicata*), 1384N
Speers, C., 635
Sphaceloma ampelinum, 222
Sphaeropsis pyriputrescens, 1257N
Sphaeropsis rot of apple, 1257N
Spies, C. F. J., 4
Spilocaea oleagina, 1549
Spinach (*Spinacia oleracea*)
characterization of *Verticillium* isolates from seed, 1457
TaqMan real-time PCR assay for Verticillium wilt, 927
white rust caused by *Albugo occidentalis*, 1253N
Spinach latent virus (SpLV), 1663N
Spore trapping, 329, 828
Sporisorium sorghi, 686N
Spot blotch of wheat, 62
Spot form net blotch, on barley, 143N
Spotted dead-nettle (*Lamium maculatum*), 150N
Spring wheat
adult plant resistance of 'Quaiu 3' to yellow rust and leaf rust, 728
field resistance to the Ug99 race group of stem rust pathogen, 882
tolerance and resistance to *Heterodera avenae*, 590
Spurlock, T. N., 1658N
Squash. *See* Cucurbita pepo
Squash leaf curl virus, 428N
Squash vein yellowing virus (SqVYV)
infection of vining cucurbits, 1149
infection of watermelon and bitter gourd, 1516N
physiological effects on watermelon, 1137
virus-resistant bottle gourd, 1057
Sreenivasa, M. Y., 149N, 1517N
St. John, R., 1075
Stagonosporiopsis cucurbitacearum, 1120N
Stagonosporopsis tanaceti, 1431
Stalk rot, on maize, 1252N
Stamler, R. A., 838N
Stanković, I., 147N, 150N, 430N, 850N, 851N, 1002N, 1004N, 1124N
Stanley, J. D., 151N
Starović, M., 418N, 420N, 1653N
Steadman, J. R., 652
Steddom, K. C., 86
Stem and leaf anthracnose, on blueberry in China, 845N
Stem blight
associated with *Colletotrichum acutatum* on blueberry, 422N
caused by *Phomopsis longicolla* on soybean, 844N
Stem canker
associated with *Lasiodiplodia theobromae* on almond, 994N
caused by binucleate *Rhizoctonia* AG-A on potato, 1246N
caused by *Diaporthe australafricana* and *Diaporthe* spp. on blueberry, 1042
caused by *Diaporthe australafricana* in European hazelnut, 1657N
caused by *Fusarium lateritium* on giant dogwood, 1378N
caused by *Leptosphaeria biglobosa* on brassicas, 1113N
Stem-end rot of avocado, 1580
Stem inoculation assay, to assess transmission of *Phytophthora infestans* in potato, 183
Stem necrosis, caused by *Phytophthora* × *pelgrandis*, 152N
Stemphylium leaf spot of parsley, 315
Stemphylium solani
leaf spot on eggplant, 689N
leaf spot on greenhouse cucumber, 287N
leaf spot on lettuce, 689N
Stemphylium vesicarium, 315
Stem rot
caused by *Fusarium solani* species complex on papaya, 140N
caused by *Sclerotinia minor* in canola, 1660N
Stem rust of wheat, field resistance to the Ug99 race, 882
Stem wilt and root rot, on *Schlumbergera truncata*, 846N
Stensvand, A., 1246N
Stewart, J. M., 1510N
Stewart, L. R., 1125N
Stinca, A., 1387N
Stipe canker, 1507N
Stoechas lavender (*Lavandula stoechas*), root and collar rot, 1091
Stojanovic, S., 420N, 1653N
Stolbur disease, 420N
Stone, A. L., 1235
Stone fruit trees
Cherry necrotic rusty mottle virus infection, 290N
isolation of *Monilinia fructicola* strains resistant to both MBC and DMI fungicides, 1063
Stoxen, S. M., 285N
Strasubaugh, C. A., 93
Strawberry (*Fragaria* × *ananassa*)
crown rot caused by *Macrophomina phaseolina*, 996N
development of PCR primers to identify *Fusarium oxysporum* f. sp. *fragariae*, 619
fenhexamid resistance in *Botrytis cinerea*, 271
fludioxonil resistance in *Botrytis cinerea*, 848N
high risk viruses and their implications for certification, nurseries, and fruit production, 1358, cover photo: October
incidence–severity relationships of powdery mildew on, 354
mixed viral infections, 1002N
root rot caused by *Cylindrocarpon* sp., 1251N
sensitivity of *Botrytis cinerea* isolates to cyprodinil and fludioxonil, 81
Strawberry crinkle virus (SCV), 1002N
Strawberry decline, cover photo: October
Strawberry latent ringspot virus (SLRSV), 662, 1002N
Strawberry mild yellow edge virus (SMYEV), 1002N
Strawberry mottle virus (SMoV), 1002N
Strawberry necrotic shock virus, 1002N
Strawberry pallidosis associated virus (SPaV), 1002N
Strawberry viruses, high risk viruses and their implications for certification, nurseries, and fruit production, 1358, cover photo: October
Strelkov, S. E., 720
Streptomyces lydicus, 196
Streptomycin, sensitivity of *Erwinia amylovora* to, 1484
Stripe rust resistance
in 'Quaiu 3' spring wheat, 728
in wheat line Avocet 'S,' 996N
Strømeng, G. M., 1246N
Stubby root, on zoysiagrass and bermudagrass, 852N
Styrofoam, management of Fusarium wilt of China asters, 530
Su, D., 425N
Su, Z., 138N
Subbotin, S. A., 1005N
Succinate dehydrogenase enzyme, 645
Succinate dehydrogenase inhibiting (SDHI) fungicides

differential effects of *SdhB* gene mutations on sensitivity in *Botrytis cinerea,* 118
resistance in *Alternaria solani,* 952
See also SDHI resistance
Sudden death syndrome, in soybean, cover photo: May
Sudden vegetation dieback (SVD), in Atlantic and Gulf Coast salt marshes, 436
Suga, H., 619
Sugar beet (*Beta vulgaris*)
binucleate *Rhizoctonia* infection in the Pacific Northwest, 1657N
cross pathogenicity and vegetative compatibility of *Fusarium oxysporum* isolates, 1200
dry rot canker caused by binculeate *Rhizoctonia,* 1508N, cover photo: November
QoI insensitivity of *Cercospora beticola,* 1255N
resistance responses to *Rhizoctonia solani* AG-2-2IIIB strains, 1175
selection for resistance to the Rhizoctonia-bacterial root rot complex, 93
vertical distribution of *Heterodera schachtii,* 93
Sugarcane
leaf scald caused by *Xanthomonas albilineans,* 988N
orange rust caused by *Puccinia kuehnii,* 426N
Sui, C., 138N
Summers, C., 1301
Summer squash, soil-applied fungicides to manage Phytophthora crown and root rot, 107
Sun, G. Y., 510
Sun, J., 1254N
Sun, X. Y., 510
Sun, Y. L., 139N
Sunflower sprouts, anthracnose on, 838N
Sunn hemp (*Crotalaria juncea*), 1652N
Surico, G., 418N
Suzianti, I. V., 991N
Suzuki, T., 619
Svanella-Dumas, L., 849N
Svoboda, J., 1261N, 1316
Swart, W. J., 140N
Sweet basil. *See* Basil
Sweet bean (*Lablab purpureus*), 290N
Sweet cherry (*Prunus avium*)
brown rot caused by *Monilinia fructicola,* 145N
Cherry necrotic rusty mottle virus and *Cherry green ring mottle virus,* 1122N
fruit symptoms of *Little cherry virus 2,* cover photo: June
transmission of *Little cherry virus 2* to by *Pseudococcus maritimus,* 851N
Sweet olive (*Osmanthus fragrans*), knot disease, 419N, cover photo: March
Sweet orange, management strategies for huanglongbing in young plantings, 789
Sweet potato (*Ipomoea batatas*)
aphid transmission of potyviruses, 53
infection by *Fusarium solani* and *Macrophomina phaseolina,* 1636
screening for SPVD resistance, 30
Sweet potato leaf curl Georgia virus in China, 1388N
Sweet potato virus 2 infection, 1516N
Sweet potato virus G infection, 1260N, 1516N
Sweet potato feathery mottle virus (SPFMV), 53
Sweet potato leaf curl Georgia virus (SPLCGV), 1388N
Sweet potato virus 2 (SPV2), 53, 1516N
Sweet potato virus disease (SPVD), 30
Sweet potato virus G (SPVG)
aphid transmission, 53
infection of sweet potato in North Carolina, 1516N
infection of sweet potato in Taiwan, 1260N
Switch (fludioxonil + cyprodinil), 393
Switchgrass (*Panicum virgatum*)
leaf spot caused by *Bipolaris oryzae,* 1654N
leaf spot caused by *Pithomyces chartarum,* 1655N
Puccinia emaculata infection, 424N
Sycamore (*Platanus occidentalis*), powdery mildew, 841N, 843N
Systemic acquired resistance (SAR), induction and maintenance in tobacco by acibenzolar-*S*-methyl, 1221
Syzygites megalocarpas, 142N
Syzygium samarangense (wax apple), 1508N
Szabo, L. J., 285N, 1408
Szigethy, A., 152N, 1091

Taberner, V., 286N, 421N, 691N, 846N
Table grapes. *See* Grapevine
Tagetes erecta, 1251N
Tagetes patula, 282N
Take-all, influence of semiarid cropping systems on, 547
Tamarillo (*Solanum betaceum*), 819
Tan, M. Y. A., 1544
Tan, Q. Q., 1126N
Tan, Y. H., 1504N
Tanacetum cinerariifolium (pyrethrum), 1431
Tang, J., 662
Tang, Q. H., 1654N
Tang, Y. F., 1652N
Tanha Maafi, Z., 1005N
Tanner, D. J., 708
Tanović, B., 147N, 851N
Tao, T., 1388N
Taphradjiiski, O. I., 1514N
TaqMan real-time PCR assay, for *Fusarium oxysporum* f. sp. *spinaciae,* 927
Taratufolo, M. C., 472
Tarazona, I., 691N
Target spot, *Corynespora cassiicola*-incited in cotton, 1379N
Taro (*Colocasia esculenta*), 1000N
Tassi, A. D., 1346
Tatineni, S., 903
Taylor, R. K., 708
Tebuconazole
management of daylily rust, 921
protection of pruning wounds from *Eutypa lata* infection in grapevines, 1599
Temperature-sensitive resistance, to *Wheat streak mosaic virus,* 983, 1051
Temple, T. N., 402, 423N, 1585
Testa, M., 1386N
Testen, A. L., 139N, 844N
Tetragonia tetragonioides, 145N
Thakur, P. D., 1001N
Thakur, R. P., 189
Therioaphis trifolii, 53
Thiabendazole, 201
Thibault, T., 938
Thiophanate-methyl, 196, 921
Thompson, J. R., 849N
'Thompson Seedless' grapes, 307
Thousand cankers disease (TCD), 601
Tian, C., 1645
Tian, C. M., 283N
Tian, X., 291N
Tian, Y., 961, 1388N
Tian, Y. L., 420N
Tibouchina (*Tibouchina* spp.), 662
Tillage, effects on *Pratylenchus* spp. in semiarid wheat production, 537
Tilletia tumefasciens, on blue panicgrass, cover photo: January
Timmerman, A., 21
Tip dieback, 30
Tisserat, N., 601
Tisserat, N. A., 21
Tissue-disruption methods, comparison of methods for PCR-based pathogen detection, 363
Tithonia rotundifolia, white mold, 1250N
Tobacco (*Nicotiana tabacum*)
'*Candidatus* Liberibacter solanacearum' associated with psyllid-infestation, 1244N, cover photo: September
'*Candidatus* Liberibacter solanacearum' infection in Honduras, 1376N
Fusarium wilt caused by *Fusarium kyushuense,* 424N
induction and maintenance of systemic acquired resistance by acibenzolar-*S*-methyl, 1221
Phytophthora nicotianae resistance in breeding lines derived from Beinhart 1000, 252
soybean cyst nematode in China, 852N
Tobacco curly shoot virus (TbCSV), 1497
Tobacco ringspot virus (TRSV)
on blackberry, cover photo: February
infecting kudzu, 561N
ringspot on kudzu, cover photo: April
Todd, J., 1125N
Togninia minima
perithecia on esca- and petri-diseased grapevines, 1247N
wood infection of *Vitis* spp., 1529
Tolin, S. A., 1221
Tomatillo (*Physalis ixocarpa*), 1124N
Tomato (*Solanum lycopersicum*)
'*Candidatus* Liberibacter solanacearum' infection, 1245N, 1375N
Columnea latent viroid in Mali, 692N
identification of *Cladosporium fulvum* races 0 and 2 on, 992N
infection by *Fusarium oxysporum* f. sp. *lycopersici* race 3, 422N, 1377N
late blight
caused by *Phytophthora infestans* clonal lineage US-22, 423N
caused by *Phytophthora infestans* clonal lineage US-23, 839N
pandemic of 2009, causes and results, 296
leaf spot caused by *Cladosporium oxysporum,* 845N
Meloidogyne ethiopica infection, 1262N
Pepper chat fruit viroid in tomato seed, 1386N
Potato spindle tuber viroid infection, 148N, cover photo: January
soft rot caused by *Pectobacterium wasabiae,* 685N
Spinach latent virus infection, 1663N
tomato pith necrosis, 1381N
Tomato rugose yellow leaf curl virus, 1662N
Tomato apical stunt viroid (TASVd), 1663N
Tomato bacterial wilt, effect of *Sedum takesimense*-derived gallotanins on, 1593
Tomato chlorosis virus (ToCV), 692N, 1123N
Tomato infectious chlorosis virus (TICV), 1123N
Tomato late blight. *See* Late blight of potato and tomato; Phytophthora infestans
Tomato leaf curl disease (ToLCD), 1396
Tomato leaf curl Oman virus (ToLCOMV), 1396
Tomato leaf curl Sudan virus (ToLCSDV), 1396
Tomato pith necrosis, 988N, 1381N
Tomato rugose yellow leaf curl virus (TRYLCV), 1662N
Tomato spotted wilt virus (TSWV)
on *Brugmansia* sp. in Serbia, 850N
on chrysanthemum, 150N
dieback and wilting in *Arctotis* × *hybrida,* 1387N
on gloxinia, 429N
new host *Leuzea carthamoides,* 1258N

Tomato yellow fruit ring virus (TYFRV), 1259N
Tomato yellow leaf curl disease, 428N
Tomato yellow leaf curl virus (TYLCV), 430N, 1396
Tomato yellow leaf curl virus complex, 428N
Tomato yellow spot virus (ToYSV), 289N
Topsin M (thiophanate-methyl), 196
Torkamaneh, D., 387
Torres, C., 143N
Torres, D. P., 847N
Torres, R., 1042
Toševski, I., 686N
Tospovirus, in mulberry, 1001N, cover photo: July
Trametes versicolor, 231
Transcriptional activator-like effectors (TALEs), *tale*-based genetic diversity of Chinese isolates of *Xanthomonas citri* subsp. *citri*, 1187
Trapero, A., 556N, 668, 1549
Trapero, C., 668
Travadon, R., 912, 1529
Tree-of-heaven (*Ailanthus altissima*), 837N, 999N
Tree peony (*Paoenia suffruticosa*), 1114N
Trichodorus obtusus, 852N
Trichosanthes kirilowii, 1388N
Trichothecium roseum, 1507N
Trichothecium spp., wet core rot of apple fruit, 510
Trifloxystrobin, 196, 807
Triflumizole, 196
Trifolium ambiguum, 142N
Tripathi, L., 123
Trisciuzzi, N., 333
Triticale (×*Triticosecale*)
  evaluation of powdery mildew resistance, 410
  identification of resistance to *Puccinia graminis* f. sp. *tritici*, 479
Triticum mosaic virus (TriMV)
  occurrence and distribution, 21
  variants isolated from wheat in Colorado, 903
Trkulja, N., 418N, 1504N
Trkulja, V., 430N, 1004N, 1124N
Troch, V., 410
Trouillas, F. P., 749
Trueman, C. L., 1255N
Tsai, C. F., 1001N
Tsai, S. F., 1253N, 1508N
Tsai, W. S., 291N
Tsopelas, P., 1247N
Tsui, C., 283N
Tuovinen, T., 1376N
Turechek, W. E., 1137
Turechek, W. W., 1149
Turnip
  bacterial blight resistance, 131
  black spot caused by *Alternaria japonica*, 1505N
Turnip mosaic virus (TuMV), 1664N
Tusiime, G., 123
Twig and branch dieback, in olive trees, 231
Twizeyimana, M., 897, 938, 1580
Typas, M. A., 285N, 286N, 1250N, 1509N
Tzanetakis, I. E., 168, 1352, 1358

UC Davis Powdery Mildew Index, revisions to the high-temperature threshold, 1438
Ug99-resistant wheat germplasm, 387
Ulmus parvifolia (Chinese elm), 426N
'Umatilla Russet' potato, 183
Upadhyaya, H. D., 189
Uppala, S., 423N
Úrbez-Torres, J. R., 231, 1571
Urek, G., 1262N
Uromyces appendiculatus, 652
Uromyces transversalis, 1491
Uromycladium tepperianum, 828
Urrea, K., 807
Useman, S., 436
Üstün, R., 835N
Utah sweetvetch (*Hedysarum boreale*), 423N
Utley, C., 601
Uzun, B., 835N

Vaccinium corymbosum, stem blight, 422N
Vaccinium macrocarpon, effects of simulated hail and subsequent fungicide applications on fruit rot, 1207
Vaccinium reticulatum, 990N
Vaccinium spp. *See* Blueberry
Vadamalai, G., 1504N
Vahdat, A., 1005N
Vaira, A. M., 1514N
Vakalounakis, D. J., 287N, 1253N
Vaknin, M., 692N
Valencia-Botín, A. J., 1491
Valkonen, J. P. T., 1260N
Vallad, G. E., 1301
Valverde, R. A., 561N
van Asten, P., 123
Van Berkum, P., 315
van Biljon, A., 140N
Vandemark, G., 927
van den Berg, N., 1012
van den Bosch, F., 797
Van der Heyden, H., 354
Vanheule, A., 410
van Heusden, A. W., 819
van Hoenselaar, T., 152N
Van Kuik, A. J., 1082
Vanneste, J.L., 708
van Schadewijk, T., 1389N
Varga, A., 44
Vargas-Asencio, J., 1663N
Vasić, M., 145N, 1659N
Vázquez-Sánchez, M. N., 1002N
Veloukas, T., 118
Velvet bean. *See* Mucuna pruriens
Vera Bahima, J., 992N
Verbascum nigrum, 1660N
Verhoeven, J. Th. J., 1110N
Vernière, C., 373, 836N, 989N, 1653N
Veronica rust, 285N
Veronica sibirica, 1662N
Veronica spicata, 285N
Veronicastrum sibiricum, 1662N
Verticillium albo-atrum, 1457
Verticillium dahliae
  characterization of isolates from spinach seed, 1457
  quantitative detection of DNA on smoke tree, 1645
  real-time PCR assay for quantification in potato, 608
  resistance in selected olive cultivars, 668
  Verticillium wilt
    on grafted *Solanum aethiopicum*, 840N
    on New Zealand spinach, 145N
    on redbud in China, 1513N
Verticillium nigrescens, 1457
Verticillium nonalfalfae
  Verticillium wilt on *Ailanthus altissima*, 837N
  Verticillium wilt on tree-of-heaven, 999N
Verticillium spp., characterization of isolates from spinach seed, 1457
Verticillium tricorpus
  characterization of isolates from spinach seed, 1457
  Verticillium wilt on lettuce, 996N
Verticillium wilt
  caused by *Verticillium dahliae*
    on grafted *Solanum aethiopicum*, 840N
    on New Zealand spinach, 145N
    on redbud in China, 1513N
  caused by *Verticillium nonalfalfae*
    on *Ailanthus altissima*, 837N
    on tree-of-heaven, 999N
  caused by *Verticillium tricorpus* on lettuce, 996N
  quantitative detection of pathogen DNA on smoke tree, 1645
  real-time PCR assay for quantification in potato, 608
  resistance in selected olive cultivars, 668
Vettraino, A. M., 152N
Viaene, N., 152N
Viburnum sargentii, 1251N
Vicent, A., 1505N, 1661N
Víchová, J., 1249N
Vicia faba, giant stem nematode infection, 1005N
Vicia faba, root rot, 461
Vico, I., 999N, 1659N
Vieira, W. A. S., 1659N
Vikram, A., 418N
Vilella-Esplá, J., 286N, 846N
Villaneuva, F., 1261N
Villarroel-Zeballos, M. I., 1457
Vinatzer, B. A., 472
Vinca (*Catharanthus roseus*)
  blight caused by *Phytophthora nicotianae*, 1257N
  carbon dioxide as a water disinfestant for Phytophthora disease risk mitigation, 369
Vincelli, P., 363
Vine decline response, in vining cucurbits, 1149
Viruega, J. R., 1549
Visser, R. G. F., 819
Vital, K., 836N, 989N
Vitale, A., 37
Vitale, S., 1385N
Vitex rotundifolia, 1512N
Vithanage, I. S. K., 427N
Vitis spp., susceptibility to wood infection by fungal trunk pathogens, 1529
Vitis vinifera. *See* Grapevine
Vitoreli, A., 1378N
Vossen, P. M., 231, 1384N
Vovlas, N., 333
Vrandečić, K., 1002N
Vu, A. L., 1654N, 1655N
Vu, T. T., 1593
Vučurović, A., 150N, 430N, 850N, 851N, 1002N, 1004N, 1124N

Wach, M. P., 142N
Waeyenberge, L., 152N
Wagner, S., 1120N
Waitea circinata, 289N
Walcott, R. R., 961
Walker, D. R., 1379N
Wallis, K. M., 1115N
Wallwork, H., 977
Walnut
  branch dieback caused by *Neofusicoccum parvum*, 1114N
  graft union death, 993N
  shallow-bark canker, 1504N
  susceptibility to *Geosmithia morbida*, 601
Walnut twig beetle (WTB), 601
Walsh, E., 813
Wan, A. M., 379
Wan, Q., 501
Wang, B., 1168
Wang, D., 1249N
Wang, D. H., 897, 1025, 1580
Wang, D.-M., 1254N
Wang, G. P., 290N, 1000N, 1256N
Wang, G.-P., 1187
Wang, H.-C., 424N
Wang, H. F., 1518N
Wang, H. R., 990N
Wang, J. H., 1657N
Wang, J. T., 291N
Wang, L. P., 290N, 1256N

Wang, L.-Y., 1260N
Wang, M. N., 839N
Wang, M.-S., 424N
Wang, N., 1123N
Wang, N.-Y., 1260N
Wang, Q., 1339
Wang, R., 1123N
Wang, R. Y., 993N
Wang, S., 1388N
Wang, S. H., 1113N
Wang, W. Q., 559N
Wang, W.-X., 558N
Wang, X. Y., 1506N
Wang, Y., 290N, 1509N, 1645
Wang, Y. J., 685N, 993N
Wang, Y. L., 426N, 1645
Wang, Z. Q., 1001N
Wang, Z. W., 138N, 282N
Wanyera, R., 379, 882
Ward, L. I., 662, 1122N
Ward, N. A., 428N
Washingtonia filifera (California fan palm), 1509N
Washingtonia robusta, Fusarium wilt, 1511N
Washingtonia spp., pink rot, 285N
Watermelon (*Citrullus lanatus*)
  bacterial leaf spot caused by *Xanthomonas cucurbitae*, 556N
  evaluation for resistance to *Zucchini yellow mosaic virus*, 1316
  physiological effects of *Squash vein yellowing virus*, 1137
  seedling blight caused by *Acidovorax citrulli* transmitted from pumpkin rootstock, 420N
  Squash vein yellowing virus infection, 1149, 1516N
  susceptibility to and control of gummy stem blight on grafted seedlings, 1018
Watermelon chronic stunt virus, 428N
Watermelon mosaic virus (WMV)
  bottle gourd resistance to, 1057
  infection of *Cucumis anguria*, 1515N
Watson, G. W., 851N
Watson, Q., 693N
Wattie, D., 641
Wax apple (*Syzygium samarangense*), 1508N
'WB-Rockland' spring wheat, 590
Webb, K. M., 1200
Webb, S. E., 1137, 1149
Web blight
  caused by *Rhizoctonia solani* AG-1-IA on rosemary, 844N
  caused by *Rhizoctonia solani* AG-1-IB on oregano, 1119N
Web mold, on portabella button mushrooms, 142N
Webster, C. B., 1149
Webster, C. G., 1137, 1516N
Wechter, W. P., 131
Wegener, L. A., 559N
Wehner, T. C., 245
Weiland, J. E., 744
Wellings, C., 379
Wells, L. D., 1207
Wen yujin, 138N
Werres, S., 1120N
Wessel-Beaver, L., 1516N
Westerveld, S., 1248N
Westphal, A., 93
Wet core rot, of apple fruit, 510
Wettable sulfur, 196
Wharton, P. S., 1245N, 1655N, 1657N
Wheat (*Triticum aestivum*)
  effects of crop rotations and tillage on *Pratylenchus* spp., 537
  High Plains disease and *Wheat mosaic virus*, 1125N
  influence of semiarid cropping systems on root disease and inoculum density of soilborne pathogens, 547
  molecular phylogenetic relationships of brown leaf rust fungi, 1408
  phenotypic and molecular diversity of *Cochliobolus sativus* populations from, 62
  physiologic specialization of *Puccinia triticina*, 1103
  root-lesion nematodes on winter wheat, 151N
  seedling stage resistance to *Puccinia graminis* f. sp. *tritici* race Ug99, 387
  sources of temperature-sensitive resistance to *Wheat streak mosaic virus*, 1051
  species-specific SCAR-PCR detection assay for *Heterodera filipjevi*, 1288
  stripe rust resistance in line Avocet 'S,' 996N
  temperature-sensitive resistance to *Wheat streak mosaic virus* in C0960333 and KS06HW79, 983
  variants of *Triticum mosaic virus* from Colorado, 903
  See also Spring wheat; Winter wheat
Wheat mosaic virus (WMoV), 1125n
Wheat powdery mildew, GIS identification of oversummering regions in China, 1168
Wheat stem rust
  identification of resistance in triticale, 479
  Sr31-virulent races in Tanzania, 557N
Wheat streak mosaic virus (WSMV)
  occurrence and distribution, 21
  temperature-sensitive resistance in wheat, 983, 1051
Wheat stripe rust
  Oregon grape as an alternate host under artificial inoculation, 839N
  population genetic structures in China, 501
  virulence characterization of international collections, 379
Wheeler, G. S., 496
White fir dwarf mistletoe, 431N
White mold, on Mexican sunflower, 1250N
White rot
  caused by *Botryosphaeria dothidea* on apple, 999N, 1659N
  caused by *Sclerotium rolfsii* on taro, 1000N
White rust, on spinach, 1253N
Whitham, S. A., 693N
Whitworth, J. L., 149N
Wicks, T. J., 1599
Wikström, M., 461
Wilcox, W. F., 912
Wild oat (*Avena*), screening accessions from Morocco for resistance to *Puccinia coronata*, 1544
Williams, K., 44
Williams-Woodward, J. L., 86
Willis, D. K., 693N
Wilson, V., 144N
Wilt
  caused by *Fusarium foetens* on *Begonia elatior*, 144N
  caused by *Fusarium oxysporum* on *Hoodia gordonii*, 140N
  of guava, semiselective medium for detection of, 1132
  See also Bacterial wilt; Fusarium wilt; Laurel wilt; Verticillium wilt
Wilt and stem rot, on *Chrysanthemum* × *morifoliutm*, 1118N
Windflowers (*Pulsatilla* sp.), 425N
Windner, R., 708
Wingfield, M. J., 856, 1247N
Winter, S., 562N, 1005N
Wintermantel, W. M., 1352
Winter pea, 547
Winter squash, age-related resistance to Phytophthora fruit rot, 446
Winter wheat
  effects of co-inoculation with *Pratylenchus thornei* and *Fusarium culmorum*, 1470
  effects of crop rotations and tillage on *Pratylenchus* spp., 537
  effects of semiarid cropping systems on root disease and inoculum density of soilborne pathogens, 547
  root-lesion nematodes, 151N
Withania coagulans, 420N
Witloof (*Cichorium intybus* var. *foliosum*), 1376N
Wodyetia bifurcata, 1504N
Woeste, K., 601
Wolf, J., 315
Wong, M. Y., 287N, 687N, 841N
Wong, W. Y., 143N
Wonni, I., 1653N
Wood, B. W., 626, 675, 797
Wood cankers of grapevine, 912, 1511N
Woodhall, J. W., 1245N, 1657N
Woods, P. W., 283N
Wosula, E. N., 53
Wright, D., 1664N
Wright, D. L., 1379N
Wu, A. B., 1657N
Wu, B. M., 423N
Wu, C. L., 1661N
Wu, D. Y., 1654N
Wu, H. Y., 151N, 1126N
Wu, J. R., 138N
Wu, W.-Q., 1181
Wu, X. H., 840N, 1246N
Wu, Y.-F., 1375N
Wu, Y. X., 845N
Wu, Y.-X., 422N
Wu, Z. J., 148N, 561N
Wyenandt, A., 296

Xanthium strumarium. *See* Cocklebur
Xanthomonas albilineans, 988N
Xanthomonas arboricaola pv. *pruni*, 835N
Xanthomonas axonopodis, 780
Xanthomonas campestris pv. *begoniae*, 282N
Xanthomonas campestris pv. *campestris*, 418N
Xanthomonas campestris pv. *olitorii*, 1109N
Xanthomonas citri pv. *aurantifolii*, 373
Xanthomonas citri pv. *bilvae*, 373
Xanthomonas citri pv. *citri*
  Asiatic citrus canker, 989N, 1653N
  revisiting the specificity of PCR primers for the identification of, 373
  sequence type 1, pathotype A from lemon and lime fruit, 836N
Xanthomonas citri pv. *mangiferaeindicae*, 1244N
Xanthomonas citri subsp. *citri*, *tale*-based genetic diversity of Chinese isolates, 1187
Xanthomonas cucurbitae
  bacterial leaf spot on pumpkin, 1375N
  bacterial leaf spot on watermelon, 556N
Xanthomonas hortorum pv. *carotae*, 1585
Xanthomonas spp., bacterial spot of rose, 1301
Xi, K. Q., 379
Xia, H.-Q., 424N
Xia, S. C., 140N
Xiang, Y., 424N
Xiao, C. L., 1257N
Xie, B. Y., 245
Xie, L. H., 561N
Xie, Y., 1497
Xie, Y. Y., 1662N
Xie, Z., 685N
Xie, Z. K., 993N
Xing, H. H., 1382N
Xing, J., 491
Xu, B., 848N
Xu, B. C., 1252N
Xu, C. N., 845N
Xu, C.-N., 422N
Xu, D., 843N
Xu, D.-Q., 424N

Xu, L., 1221
Xu, S., 988N
Xu, W. X., 1000N
Xu, X., 1168
Xu, X.-D., 1656N
Xu, Y.-L., 558N
Xyleborus affinis, 1116N
Xyleborus glabratus (redbay ambrosia beetle), 688N
Xylella fastidiosa, 277

Yaghmour, M. A., 259, 601
Yahaya, N., 989N
Yamamoto, P. T., 789
Yan, G., 537, 547
Yan, G. P., 590, 757, 1611
Yan, H. H., 140N
Yang, H.-C., 1510N
Yang, J., 1181
Yang, J. R., 1513N
Yang, M., 138N
Yang, S.-J., 424N
Yang, W. X., 840N
Yang, X., 558N, 1385N
Yang, Y., 1509N
Yang, Y. G., 840N, 1246N
Yang, Y. H., 245
Yao, J., 1295
Yassoralipour, A., 685N
Yasuhara-Bell, J., 1244N
Yazdaní-Khameneh, S., 1259N
Ye, G., 1187
Ye, J. R., 992N
Ye, W. M., 1262N
Ye, Y. F., 141N, 1659N
Yeh, H. C., 1253N, 1508N
Yeh, H.-C., 690N
Yeh, S.-D., 1260N
Yellow decline, in *Wodyetia bifurcata*, 1504N
Yellow rust resistance, in 'Quaiu 3' spring wheat, 728
Yellow vein mosaic of okra, 291N
Yencho, G. C., 30
Yin, L. F., 1256N
Yol, E., 835N
Yoon, M.-J., 1376N
Yoon, T. M., 1593
You, C. J., 283N
You, J. M., 139N
You, J. W., 139N
You, M. P., 1256N
Yousefi, A. R., 694N
Yu, F. Y., 1654N
Yu, J., 708
Yu, J. L., 1388N
Yu, J. M., 453
Yuan, L., 491
Yuan, N. N., 1256N
Yuan, Y., 1308
Yucca filamentosa, 1257N
Yuen, J., 1281
Yun, H. Y., 1378N
Yun, Y. H., 1251N

Zacchi, E., 836N
Zaid, A. M., 1524
Zainal Abidin, M. A., 143N, 685N
Zainal Abidin, M. Z., 1109N
Zakria, M., 1187
Zala, M., 1511N
Zale, J., 1654N
Zambino, P. J., 1025
Zambolim, L., 1255N
Zambrano, J. L., 1418
Zamioculcas zamiifolia, 1517N
Zanthoxylum piperitum, 840N
Zdravkovic, J., 420N
Zea maize. *See* Corn
Zee, F. T. P., 990N
Zeng, D. Q., 282N
Zha, Y. L., 510
Zhai, L. F., 1256N
Zhai, L. X., 1256N
Zhan, G. M., 379
Zhan, J. X., 560N
Zhang, A.-F., 558N
Zhang, C., 1252N
Zhang, C. Q., 1252N
Zhang, D., 1388N
Zhang, G., 1051
Zhang, G. Z., 1252N
Zhang, H., 430N, 1514N
Zhang, H. J., 845N
Zhang, H.-J., 422N
Zhang, H.-M., 1181
Zhang, J., 148N
Zhang, J. X., 282N
Zhang, J. Z., 138N
Zhang, K., 430N
Zhang, L., 835N, 1295, 1379N
Zhang, L. H., 1506N
Zhang, L. Q., 685N
Zhang, M., 1509N
Zhang, M. D., 139N
Zhang, M. X., 1256N
Zhang, N., 813, 840N
Zhang, P., 1661N
Zhang, Q., 510
Zhang, Q. C., 995N
Zhang, Q. T., 846N
Zhang, R., 510
Zhang, R. Q., 140N
Zhang, S., 837N
Zhang, S. P., 245
Zhang, S. Q., 245, 1654N
Zhang, W., 561N, 1252N
Zhang, X. Y., 426N, 846N
Zhang, Y. J., 559N
Zhang, Z., 1388N
Zhang, Z. X., 1517N
Zhao, B., 424N
Zhao, D., 1113N, 1114N
Zhao, R. N., 1123N
Zhao, S. F., 1661N
Zhao, Y., 961
Zhao, Y. Q., 420N
Zhao, Y. Z., 1249N
Zhao, Z. Y., 848N
Zheng, H. H., 1246N
Zheng, J., 852N
Zheng, X. H., 848N
Zheng, Y., 291N
Zhi, Y., 288N
Zhou, J. F., 290N
Zhou, L. H., 282N
Zhou, T., 1123N
Zhou, X., 1497
Zhou, Y., 1168
Zhou, Y. J., 430N, 1123N
Zhou, Z., 992N
Zhou, Z. S., 845N
Zhou, Z.-S., 422N
Zhu, H., 1654N
Zhu, H. Q., 1513N
Zhuo, K., 1262N
Zia-Ur-Rehman, M., 1122N
Zindović, J., 1258N
Zingiber officinale, rhizome rot, 1308
Zinnia elegans, 431N
Zitter, T. A., 296
Živković, S., 1504N
Zizyphus jujuba
  root rot caused by *Cytospora sacculus*, 1661N
  soft fruit rot disease caused by *Fusarium oxysporum*, 1509N
Zoffoli, J. P., 1069
Zonate leaf spot, on Japanese hop, 1117N
Zou, C. W., 1001N
Zou, H.-S., 1187
Zou, L.-F., 1187
Zoysiagrass
  effect of cultivation and timing of nitrogen fertilization on large patch disease, 1075
  stubby root caused by *Trichodorus obtusus*, 852N
Zu, Y. Q., 1509N
Zucchini. *See* Cucurbita pepo
Zucchini yellow mosaic virus (ZYMV)
  contact transmission, stability on surfaces, and inactivation with disinfectants, 765
  evaluation of cucurbitaceous vegetables for resistance, 1316
  Fevillea trilobata as a natural host, 1261N
  resistance in bottle gourd, 1057
Zymoseptoria tritici, 1511N